

Three years of Ulysses dust data: 1993 to 1995

H. Krüger¹, E. Grün¹, M. Landgraf¹, M. Baguhl¹, S. Dermott², H. Fechtig¹,
 B. A. Gustafson², D. P. Hamilton³, M. S. Hanner⁴, M. Horányi⁵, J. Kissel¹,
 B. A. Lindblad⁶, D. Linkert¹, G. Linkert¹, I. Mann⁷, J. A. M. McDonnell⁸,
 G. E. Morfill⁹, C. Polanskey⁴, G. Schwehm¹⁰, R. Srama¹, and
 H. A. Zook¹¹

- 1) Max-Planck-Institut für Kernphysik, 69029 Heidelberg, Germany
- 2) University of Florida, Gainesville, FL 32611, USA
- 3) University of Maryland, College Park, MD 20742-2421, USA
- 4) Jet Propulsion Laboratory, Pasadena, California 91109, USA
- 5) Laboratory for Atmospheric and Space Physics, Univ. of Colorado, Boulder, CO 80309, USA
- 6) Lund Observatory, 221 Lund, Sweden
- 7) Max-Planck-Institut für Aeronomie, 37191 Katlenburg-Lindau, Germany
- 8) University of Kent, Canterbury CT2 7NR, UK
- 9) Max-Planck-Institut für Extraterrestrische Physik, 85748 Garching, Germany
- 10) ESTEC, 2200 AG Noordwijk, The Netherlands
- 11) NASA Johnson Space Center, Houston, Texas 77058, USA

Abstract

The Ulysses spacecraft is orbiting the Sun on a highly inclined ellipse ($i = 79^\circ$). After its Jupiter flyby in 1992 at a heliocentric distance of 5.4 AU, the spacecraft reapproached the inner solar system, flew over the Sun's south polar region in September 1994, crossed the ecliptic plane at a distance of 1.3 AU in March 1995, and flew over the Sun's north polar region in July 1995. We report on dust impact data obtained with the dust detector onboard Ulysses between January 1993 and December 1995. We publish and analyse the complete data set of 509 recorded impacts of dust particles with masses between 10^{-16} g to 10^{-7} g. Together with 968 dust impacts from launch until the end of 1992 published earlier (Grün et al., 1995, *Planet. Space Sci.*, Vol. 43, p. 971-999), information about 1477 particles detected with the Ulysses sensor between October 1990 and December 1995 is now available. The impact rate measured between 1993 and 1995 stayed relatively constant at about 0.4 impacts per day and varied by less than a factor of ten. Most of the impacts recorded outside about 3.5 AU are compatible with particles of interstellar origin. Two populations of interplanetary particles have been recognised: big micrometer-sized particles close to the ecliptic plane and small sub-micrometer-sized particles at high ecliptic latitudes. The observed impact rate is compared

¹Correspondence to: krueger@galileo.mpi-hd.mpg.de

with a model for the flux of interstellar dust particles which gives relatively good agreement with the observed impact rate. No change in the instrument's noise characteristics or degradation of the channeltron could be revealed during the three-year period.

1 Introduction

The Ulysses mission is exploring the solar system between 1 and 5.4 AU from the Sun over a wide range of ecliptic latitudes (-79° to $+79^\circ$). Ulysses carries a multi-coincidence impact ionization detector, which is nearly identical to the dust detector flown onboard the Galileo spacecraft. Detailed descriptions of the dust instruments onboard both spacecraft have been published by Grün et al. (1992a,b, 1995a). Early results on interplanetary dust obtained from both missions and dust measurements achieved by Ulysses in the environment of Jupiter have been reported (Grün et al. 1992c,d, Grün 1994). Unexpected intermittent streams of dust particles originating from the Jovian system and interstellar particles sweeping through the solar system were discovered by Ulysses (Grün et al. 1993). A detailed analysis of the complete Ulysses dust data set has led to the identification of "small" impacts that had been previously considered potential noise events (Baguhl et al. 1993).

Data from the dust instruments onboard both spacecraft – Ulysses and Galileo – have been used in various ways: asteroids and comets have been investigated as dust sources (Riemann and Grün 1992, Hamilton and Burns 1992, Grün et al. 1994a, Mann et al. 1996a); consequences for the zodiacal light and other interplanetary meteoroid measurements have been considered (Mann et al. 1992; Mann and Grün 1993, Mann et al. 1996b, Taylor et al. 1996); a detailed model of interplanetary meteoroid populations in the solar system has been developed (Divine 1993, Divine et al. 1993, Grün and Staubach 1996, Grün et al. 1997); the dust streams originating from the Jovian system have been analysed (Horányi et al. 1993a,b, Hamilton and Burns 1993, Zook et al. 1996) and, finally, the properties of interstellar dust in the heliosphere have been investigated (Grün et al. 1994b, Baguhl et al. 1995a,b, 1996, Landgraf and Grün 1998).

This is the fifth paper in a series dedicated to presenting both raw and reduced data obtained from the dust instruments onboard the Ulysses and Galileo spacecraft. Grün et al. (1995a, hereafter Paper I) describe the reduction process of Ulysses and Galileo dust data. Papers II and III (Grün et al. 1995b,c) present the data sets from the initial three and two years of the Galileo and Ulysses missions, respectively. In the case of Ulysses the time period covered (Paper III) was October 1990 to December 1992. In the current paper we extend the Ulysses data set from January 1993 until December 1995. In a companion paper (Krüger et al. 1998, Paper IV) we publish the Galileo data set for the same time period. The main data products are a table of the impact rate of all impacts determined from the particle accumulators and a table of both raw and reduced data of all dust impacts transmitted to Earth. The

information presented in these papers is similar to data which we are submitting to the various data archiving centers (Planetary Data System, NSSDC, Ulysses Data Center etc.). Electronic access to the data is also possible via the world wide web: <http://galileo.mpi-hd.mpg.de>.

This paper is organised similarly to Paper III. Section 2 gives a brief overview of the Ulysses mission and lists important mission events from 1993 to 1995. A description of the Ulysses dust data set for this period is given in Sect. 3. Sections 4 and 5 analyse and discuss the new data set.

2 Mission and instrument operation

Ulysses was launched on 6 October 1990 and was brought onto a direct trajectory towards Jupiter. A swing-by maneuver at Jupiter on 8 February 1992 deflected the spacecraft into an orbit that is inclined by 79° to the ecliptic plane (Fig. 1). In October 1994 Ulysses passed the Sun's south polar region, then crossed the ecliptic plane again, this time at a perihelion distance of 1.3 AU on 12 March 1995 and flew over the Sun's north polar region in August 1995. In April 1998 the spacecraft crossed the ecliptic plane at its aphelion at 5.4 AU. Approximate orbital elements for the Ulysses trajectory that include the whole out-of-ecliptic part of its orbit, are given in Paper III.

Ulysses is a spin-stabilized spacecraft with its spin axis pointing towards Earth. In Fig. 2 we show the deviation of the spin axis from the nominal Earth direction for the period 1993 to 1995 considered in this paper. Most of the time the axis pointing was within one degree of the Earth direction. This rather small deviation is negligible for the considerations in this paper. The Ulysses spacecraft and mission are explained in more detail by Wenzel et al. (1992). Details about the data transmission to Earth can also be found in Paper III.

The dust detector onboard Ulysses (GRU) has a 140° wide field of view. The instrument is mounted nearly at right angles (85°) to the antenna pointing direction (spacecraft spin axis). Therefore, the sensor is most sensitive to particles approaching from the plane perpendicular to the spacecraft-Earth direction. The rotation angle measures the sensor viewing direction at the time of a dust impact. During one spin revolution the rotation angle scans through a complete circle of 360° . The 0° rotation angle is defined to be the direction closest to ecliptic north. At high ecliptic latitudes, however, the sensor pointing at 0° rotation angle significantly deviates from the actual north direction. During the passages over the Sun's polar regions the sensor always scans through a plane tilted by about 30° from the ecliptic and all rotation angles lie close to the ecliptic plane (cf. Fig. 4 in Grün et al. 1997). A sketch of the viewing geometry can be found in Grün et al. (1993).

Table 1 lists significant mission and dust instrument events from 1993 to 1995. Earlier events are only listed if especially significant. A comprehensive list of events

from launch until the end of 1992 is given in Paper III. During the early phases of the mission the in-orbit noise characteristics of the instrument were investigated (Paper III). This led to a relatively noise-free configuration (hereafter called nominal configuration) for the instrument after 10 February 1992: channeltron voltage 1140 V ($HV = 3$); event definition status such that either the channeltron or the ion-collector channel can, independent of each other, start a measurement cycle ($EVD = C, I$); detection thresholds for ion-collector, channeltron and electron-channel set to the lowest levels and the detection threshold for the entrance grid set to the first digital step ($SSEN = 0, 0, 0, 1$). See Paper I for a description of these terms.

The operational configuration of the dust instrument was changed several times during noise tests: starting from the nominal configuration described above, all tests have been performed with the same instrument settings. During noise tests, the following changes of the instrument configuration were applied at one-hour intervals: a) set the event definition status such that the channeltron, the ion collector and the electron-channel can initiate a measurement cycle ($EVD = C, I, E$); b) set the thresholds for all channels to their lowest levels ($SSEN = 0, 0, 0, 0$); c) reset the event definition status to its nominal configuration ($EVD = C, I$); d) increase the channeltron high voltage by one digital step ($HV = 4$); e) reset the channeltron high voltage and the detection thresholds to their nominal settings ($HV = 3, SSEN = 0, 0, 0, 1$). After step e) the instrument is back in its nominal configuration. No detectable change in the noise behaviour was revealed by the noise tests during the three years from 1993 to 1995.

Spacecraft anomalies occurred five times between 1993 and 1995, and all scientific instruments onboard were switched off automatically for about one day during so-called DNEs (Disconnect all Non-Essential Loads). After each DNE, the dust instrument was switched on again and was configured to its nominal operational mode.

The dust instrument has two heaters to allow for a relatively stable operating temperature within the sensor. By heating one of the two or both heaters, three different heating power levels can be achieved (400 mW, 800 mW or 1,200 mW). One or both heaters were switched on most of the time, except close to the Sun between 5 February and 12 June 1995 when both were switched off. The heaters remained switched on during the DNEs. Table 1 lists the total heating powers provided by the heaters. The temperature of the dust sensor was between -20°C and $+15^{\circ}\text{C}$.

A timing error in the instrument electronics led to wrong spacecraft sector information for about 20% of the events in the data set published earlier (cf. Paper III, indicated by $ROT=999$ in Table 4). The error was corrected by a reprogramming of the instrument on 30 April 1993.

After launch of Ulysses the sounder of the URAP instrument (Stone et al. 1992) emerged as a significant and unexpected noise source for the dust sensor. When the sounder was switched on after launch, sounder interference caused about 20% dead time (Paper III). With the sounder now usually being operated at a lower rate

of about 2 min at 2 hour intervals the dead time is reduced to about 2%. In a detailed investigation of the noise behavior of the Ulysses dust instrument Baguhl et al. (1993) showed that the noise rate measured during periods of sounder operation was correlated with the distance to, and the position of, the Sun with respect to the sensor-viewing direction: most noise events are triggered when the Sun shines directly into the sensor. On the other hand, when the spacecraft was at large heliocentric distances in 1993, the noise rate was extremely low, even during sounder operation periods.

In Fig. 3 we show the noise rate for the 1993 to 1995 period. The upper panel shows the daily maxima, which are dominated by interference with the sounder. Since the sounder was operated for periods of only 2 min with quiet intervals of about 2 hours, such high noise rates prevailed only during about 2% of the time, with the remaining 98% being free of sounder noise. In 1994 the maxima in the noise rate induced by the sounder began to increase significantly when Ulysses approached the inner solar system. The highest sounder noise rates occurred around perihelion passage in March 1995. From 12 to 22 July 1994 and 24 November to 1 December 1994 the sounder was switched off and the noise level dropped to about 10 events per day. The noise during quiet times when the sounder was switched off is shown in the lower panel of Fig. 3. The average was about 20 events per day which shows that the dust instrument was not affected by dead time caused by random noise events during 98% of the time.

3 Impact events

Impact events are classified into four classes and six ion charge amplitude ranges which lead to 24 individual categories. In addition, the instrument has 24 accumulators with one accumulator belonging to one individual category. Class 3, our highest class, are real dust impacts and class 0 are noise events. Depending upon the noise of the charge measurements, classes 1 and 2 can be true dust impacts or noise events. This classification scheme for impact events has been described in Paper I and this scheme is still valid for the Ulysses dust instrument. In contrast to the Galileo dust instrument which had to be reprogrammed because of the low data transmission capabilities of the Galileo spacecraft, no such reprogramming was necessary for Ulysses. Most of the data processing for Ulysses is done on the ground.

Between 1 January 1993 and 31 December 1995 the complete data (sensor orientation, charge amplitudes, charge rise times, etc.) of 72,809 events including 509 dust impacts were transmitted to Earth. Table 2 lists the number of all dust impacts counted with the 24 accumulators of the dust instrument. ‘AC xy ’ refers to class number ‘ x ’ and amplitude range ‘ y ’ (for a detailed description of the accumulator categories see Paper I). As discussed in the previous section, most noise events were recorded during the short time periods when either the sounder of the URAP instrument was operating (cf. Paper III) or the dust instrument was configured to its high sensitive

state for noise tests, or both. During these periods many events were only counted by one of the 24 accumulators because their full information was overwritten before the data could be transmitted to Earth (see bottom of Table 2). Since the dust impact rate was low during times surrounding these periods, it is expected that only a few true dust impacts were lost.

Two particles in AC32 and AC33 (day 93-154, 21:01 h and 93-319, 15:31 h), respectively, were detected in a gap of several hours when no data could be transmitted to Earth, and their full information had to be taken from the instrument memory (FN7, cf. Grün et al. 1992a). Before and after these gaps the sounder was operated for about 2 min at 2 hour intervals and we assume that it was operated with the same frequency in the gap. Due to these long quiet intervals between sounder operation it is rather unlikely that the two events occurred when the sounder was active. Even in such a case these are still very likely true dust impacts because the sounder noise usually affects only the lowest ion amplitude range (AR1).

All 509 dust impacts detected between 1993 and 1995 for which the complete information exists are listed in Table 3. Dust particles are identified by their sequence number and their impact time (first two columns). The event category – class (CLN) and amplitude range (AR) – are given in the third and fourth columns. Raw data as transmitted to Earth are shown in the next columns: sector value (SEC) which is the spacecraft spin orientation at the time of impact, impact charge numbers (IA, EA, CA) and rise times (IT, ET), time difference and coincidence of electron and ion signals (EIT, EIC), coincidence of ion and channeltron signal (IIC), charge reading at the entrance grid (PA) and time (PET) between this signal and the impact. Then the instrument configuration is given: event definition (EVD), charge sensing thresholds (ICP, ECP, CCP, PCP) and channeltron high voltage step (HV). Compare Paper I for further explanation of the instrument parameters.

The next four columns in Table 3 give information about Ulysses’ orbit: heliocentric distance (R), ecliptic longitude and latitude (LON, LAT) and distance from Jupiter (D_{Jup}). The next column gives the rotation angle (ROT) as described in Sect. 2. Whenever this value is unknown, ROT is arbitrarily set to 999. This occurs 14 times. Then follows the pointing direction of the dust instrument at the time of particle impact in ecliptic longitude and latitude (S_{LON} , S_{LAT}). When ROT is not valid S_{LON} and S_{LAT} are useless and are also set to 999. Mean impact velocity (V) and velocity error factor (VEF, i.e. multiply or divide stated velocity by VEF to obtain upper or lower limits) as well as mean particle mass (M) and mass error factor (MEF) are given in the last columns. For $\text{VEF} > 6$, both velocity and mass values should be discarded. This occurs for 48 impacts. No intrinsic dust charge values are given (see Svestka et al. 1996 for a detailed analysis).

4 Analysis

The positive impact charge measured on the ion collector, Q_I , is the most important impact parameter determined by the dust instrument because of its relative insensitivity to noise. In Fig. 4 we show the distribution of Q_I for all dust particles detected between 1993 and 1995. Ion impact charges have been detected over the entire range of six orders of magnitude in impact charge that can be measured by the dust instrument. About 1% of all impacts are close to the saturation limit of $Q_I \sim 10^{-8}$ C and may thus constitute lower limits of the actual impact charges. The impact charge distribution is reminiscent of three individual particle populations: small particles with impact charges $Q_I < 10^{-13}$ C (AR1), intermediate particles with 10^{-13} C $\leq Q_I \leq 3 \times 10^{-11}$ C (AR2 and AR3) and big particles with $Q_I > 3 \times 10^{-11}$ C (AR4 to AR6). The intermediate particles are mostly of interstellar origin and the big particles are interplanetary particles detected close to the ecliptic plane (Grün et al., 1997, see also Sect. 5). The small particles occur mostly over the Sun's polar regions and are attributed to a population of interplanetary β -meteoroids at high ecliptic latitudes (Baguhl et al., 1995b, Hamilton et al., 1996).

The ratio of the channeltron charge Q_C and the ion collector charge Q_I is a measure of the channeltron amplification A . The channeltron amplification is an important parameter for dust impact identification (Paper I). In Fig. 5 we show the charge ratio Q_C/Q_I as a function of Q_I for the nominal high voltage of 1140 V (HV = 3). The mean amplification determined from particles with 10^{-12} C $\leq Q_I \leq 10^{-11}$ C is $A \simeq 2.1$. This is very close to the value obtained in Paper III for the first two years of the mission ($A \simeq 2.2$). Therefore, the channeltron does not show any detectable aging during the more than five years of the Ulysses mission.

Figure 6 shows the masses and velocities of all dust particles detected between 1993 and 1995. As in the earlier period (1990 to 1992, Paper III) velocities occur over the entire calibrated range from 2 to 70 km/s. The masses vary over 10 orders of magnitude from 10^{-6} g to 10^{-16} g. The mean errors are a factor of 2 for the velocity and a factor of 10 for the mass. The clustering of the velocity values is due to discrete steps in the rise time measurement but this quantization is much smaller than the velocity uncertainty. For many particles in the lowest two amplitude ranges (AR1 and AR2) the velocity had to be computed from the ion charge signal alone which leads to the striping in the lower mass range in Fig. 6 (most prominent above 10 km/s). In the higher amplitude ranges the velocity could normally be calculated from both the target and the ion charge signal, resulting in a more continuous distribution in the mass-velocity plane. Impact velocities below about 3 km/s should be treated with caution because anomalous impacts onto the sensor grids or structures other than the target generally lead to prolonged rise times and hence to unnaturally low impact velocities.

5 Discussion

Most of the time from January 1993 to December 1995 Ulysses was at high ecliptic latitudes far away from the ecliptic plane. The dust impact rate detected by the Ulysses dust sensor in this period is displayed in Fig. 7. The highest overall impact rate was detected around the ecliptic plane crossing which occurred on 12 March 1995 (at 1.3 AU from the Sun). The maximum impact rate of particles in the three highest ion amplitude ranges (AR4 to AR6) coincides with the highest overall impact rate (upper panel of Fig. 7). These impacts are attributed to interplanetary particles on low inclination orbits (Grün et al. 1997). These are the impacts with $Q_I > 10^{-10}$ C shown in Fig. 4. The impact rate of particles in the lowest amplitude range (AR1) increased gradually since mid 1993, reached its maximum at the ecliptic plane crossing in March 1995 and decreased later. Although the impact rate reached its maximum during a short time around the ecliptic plane crossing, the majority of these small particles has been detected during the much longer time interval when Ulysses was at high ecliptic latitudes. They are attributed to a population of small interplanetary particles on escape trajectories from the solar system (Baguhl et al. 1995, Hamilton et al. 1996).

The impact rate of particles in the intermediate ion amplitude ranges AR2 and AR3 was relatively constant during the 1993 to 1995 period. It dominated the overall impact rate until early 1994, i.e. outside about 3.5 AU from the Sun. Impacts in these ion amplitude ranges are mostly due to interstellar particles (see also Fig. 8 and Grün et al. 1993, Baguhl et al. 1995). Figure 7 also shows the expected impact rate of interstellar particles assuming that they approach from the direction of interstellar helium (Witte et al. 1996) and that they move on straight trajectories with a relative velocity of 26 km s^{-1} through the solar system. This assumption means dynamically that radiation pressure cancels gravity for these particles ($\beta = 1$) and that their Larmor radii are large compared with the dimension of the solar system. Both assumptions are reasonable for particles with masses between 10^{-13} g and 10^{-12} g which is the dominant size range measured for interstellar particles (e. g. Grün et al. 1997). The dust particle flux is independent of heliocentric distance in this simple model, which gives relatively good agreement with the observed impact rate. The variation predicted by the model is caused by changes in the instrument's viewing direction with respect to the approach direction of the particles and changes in the relative velocity between the spacecraft and the particles. After the ecliptic plane crossing the rate of interstellar particles expected from the model is significantly higher than the one observed. A detailed dynamical model (Landgraf 1998) for the motion of interstellar particles in the interplanetary magnetic field gives better agreement with the observed impact rate, especially after 1996.

The sensor orientation at the time of a particle impact (rotation angle) is shown in Fig. 8. The detector's sensitive area for particles approaching from the interstellar direction is superimposed. The bigger particles (squares, impact charge $Q_I \geq 8 \times$

10^{-14} C) are clearly concentrated towards the interstellar direction. They have been detected with a relatively constant rate during the whole three-year period (Fig. 7). Only a few small particles (crosses, impact charges $Q_I \leq 8 \times 10^{-14}$ C) have been detected and they cluster above the Sun's polar regions. The particles with the highest ion amplitude ranges (AR4 to AR6) are not distinguished in this diagram because they cannot be separated from interstellar particles by directional arguments. They have to be distinguished by other means (e. g. mass and velocity). Furthermore, their total number is so small that they constitute only a small 'contamination' of the interstellar particles in Fig. 8. In the ecliptic plane at 1.3 AU, however, interplanetary particle flux dominates over interstellar flux by a factor of about 3 (in number).

Streams of tiny dust particles originating from the Jovian system have been first detected with Ulysses and later with Galileo out to 2 AU from Jupiter (Grün et al., 1993, 1996). During the time period from 1993 to 1995 considered here, Ulysses was more than 2.5 AU away from Jupiter which makes a significant contribution of Jovian dust stream particles in the present data set very unlikely. Analysis of the particles' trajectories and their interaction with the interplanetary magnetic field (Zook et al., 1996) showed that the velocities are about 300 km/s and the particles are about 10 nm in size. These values are far beyond the calibrated range of the dust sensors given above and, in principle, one cannot exclude that the data set presented in this paper contains at least a fraction of particles for which the masses and velocities inferred from our calibration are wrong. Recent analyses of the interplanetary (Grün and Staubach, 1997) and interstellar populations (Landgraf, 1998), however, are consistent with the calibrated velocities and masses of the particles in the new 1993 to 1995 data set. Given the present knowledge about the particles' dynamics, the velocities and masses stated in Papers II and III for the stream particles are not correct. Future investigations will address possible contributions of particles beyond the calibrated range of the dust instruments in the complete Ulysses and Galileo data sets, not only close to Jupiter where the dust streams have been detected.

Acknowledgments. This work has been supported by the Deutsche Agentur für Raumfahrtangelegenheiten (DARA).

References

- Baguhl, M., Grün, E., Linkert, D., Linkert, G. and Siddique, N., Identification of 'small' dust impacts in the Ulysses dust detector data. *Planet. Space Sci.* **41**, 1085-1098, 1993
- Baguhl, M., Grün, E., Hamilton, D.P., Linkert, G., Riemann, R., Staubach, P. and Zook H., The flux of interstellar dust observed by Ulysses and Galileo. *Space Sci. Rev.* **72**, 471-476, 1995a
- Baguhl, M., Hamilton, D.P., Grün, E., Dermott, S., Fechtig, H., Hanner, M.

- S., Kissel, J., Lindblad, B.-A., Linkert, D., Linkert, G., Mann, I., McDonnell, J. A. M., Morfill, G. E., Polanskey, C., Riemann, R., Schwehm, G., Staubach, P. and Zook, H., Dust measurements at high ecliptic latitudes. *Science* **268**, 1016-1019, 1995b
- Baguhl, M., Grün, E. and Landgraf, M., In situ measurements of interstellar dust with the Ulysses and Galileo spaceprobes. *Space Sci Rev.*, **78**, 165-172, 1996
- Divine, N. Five populations of interplanetary meteoroids. *J. Geophys. Res.* **98**, 17029-17048, 1993
- Divine, N. Grün, E. and Staubach, P., Modelling the meteoroid distributions in interplanetary space and near Earth. *Proc. First European Conference on Space Debris*, Darmstadt, ed. W. Flury, ESA SD-01, 245-250, 1993
- Grün, E., Dust measurements in the outer solar system. In: *Asteroids, Comets, Meteors 1993*, eds. A. Melani, M. Di Martino, A. Cellino, Kluwer Acad. Publ., 367-380, 1994
- Grün, E., Fechtig, H., Hanner, M.S., Kissel, J., Lindblad, B.-A., Linkert, D., Linkert, G., Morfill, G.E. and Zook, H.A., The Galileo dust detector. *Space Sci. Rev.* **60**, 317-340, 1992a
- Grün, E., Fechtig, H., Giese, R.H., Kissel, J., Linkert, D., Maas, D., McDonnell, J.A.M., Morfill, G.E., Schwehm, G. and Zook, H.A., The Ulysses dust experiment. *Astron. Astrophys. Suppl. Ser.* **92**, 411-423, 1992b
- Grün, E., Baguhl, M., Fechtig, H., Hanner, M.S., Kissel, J., Lindblad, B.-A., Linkert, D., Linkert, G., Mann, I., McDonnell, J.A.M., Morfill, G.E., Polanskey, C., Riemann, R., Schwehm, G., Siddique, N. and Zook, H.A., Galileo and Ulysses dust measurements: From Venus to Jupiter. *Geophys. Res. Letters* **19**, 1311-1314, 1992c
- Grün, E., Zook, H.A., Baguhl, M., Fechtig, H., Hanner, M.S., Kissel, J., Lindblad, B.-A., Linkert, D., Linkert, G., Mann, I., McDonnell, J.A.M., Morfill, G.E., Polanskey, C., Riemann, R., Schwehm, G. and Siddique N., Ulysses dust measurements near Jupiter. *Science* **257**, 1550-1552, 1992d
- Grün, E., Zook, H.A., Baguhl, M., Balogh, A., Bame, S.J., Fechtig, H., Forsyth, R., Hanner, M.S., Horanyi, M., Kissel, J., Lindblad, B.-A., Linkert, D., Linkert, G., Mann, I., McDonnell, J.A.M., Morfill, G.E., Phillips, J.L., Polanskey, C., Schwehm, G., Siddique, N., Staubach, P., Svestka, J. and Taylor, A., Discovery of jovian dust streams and interstellar grains by the Ulysses spacecraft. *Nature* **362**, 428-430, 1993
- Grün, E., Hamilton, D.P., Baguhl, M., Riemann, R., Horanyi, M. and Polanskey, C., Dust streams from comet Shoemaker-Levy 9? *Geophys. Res. Lett.* **21**, 1035-1038, 1994a
- Grün, E., Gustafson, B., Mann, I., Baguhl, M., Morfill, G.E., Staubach, P., Taylor, A. and Zook, H.A., Interstellar dust in the heliosphere. *Astron. Astrophys.* **286**, 915-924, 1994b
- Grün, E., Baguhl, M., Fechtig, H., Hamilton, D.P., Kissel, J., Linkert, D., Linkert, G. and Riemann, R., Reduction of Galileo and Ulysses dust data. *Planet. Space Sci.* **43**, 941-951, 1995a (Paper I)

Grün, E., Baguhl, M., Divine, N., Fechtig, H., Hamilton, D. P., Hanner, M. S., Kissel, J., Lindblad, B.-A., Linkert, D., Linkert, G., Mann, I., McDonnell, J. A. M., Morfill, G. E., Polanskey, C., Riemann, R., Schwehm, G., Siddique, N., Staubach P. and Zook, H. A., Three years of Galileo dust data. *Planet. Space Sci.*, **43**, 953-969, 1995b (Paper II)

Grün, E., Baguhl, M., Divine, N., Fechtig, H., Hamilton, D.P., Hanner, M.S., Kissel, J., Lindblad, B.-A., Linkert, D., Linkert, G., Mann, I., McDonnell, J.A.M., Morfill, G.E., Polanskey, C., Riemann, R., Schwehm, G., Siddique, N., Staubach, P. and Zook, H.A., Two years of Ulysses dust data, *Planet. Space Sci.* **43**, 971-999, 1995c (Paper III)

Grün, E. and Staubach, P., Dynamic populations of dust in interplanetary space. In: *Physics, Chemistry and Dynamics of Interplanetary Dust*, ASP Conference Series, Vol. 104, (edited by B. A. Gustafson and M. S. Hanner), page 3-14, 1996

Grün, E., Baguhl, M., Hamilton, D. P., Riemann, R., Zook, H. A., Dermott, S., Fechtig, H., Gustafson, B. A., Hanner, M. S., Horányi, M., Khurana, K. K., Kissel, J., Kivelson, M., Lindblad, B.-A., Linkert, D., Linkert, G., Mann, I., McDonnell, J. A. M., Morfill, G. E., Polanskey, C., Schwehm, G., and Srama, R., Constraints from Galileo observations on the origin of jovian dust streams, *Nature*, 381, 395-398, 1996.

Grün, E., Staubach, P., Baguhl, M., Hamilton, D. P., Zook, H. A., Dermott, S., Gustafson, B. A., Fechtig, H., Kissel, J., Linkert, D., Linkert, G., Srama, R., Hanner, M. S., Polanskey, C., Horanyi, M., Lindblad, B.-A., Mann, I., McDonnell, J. A. M., Morfill, G. E. and Schwehm, G., South-north and radial traverses through the zodiacal cloud. *Icarus*, **129**, 270-288, 1997

Hamilton, D.P. and Burns, J.A., Orbital stability zones about asteroids II. The destabilizing effects of eccentric orbits and of solar radiation. *Icarus* **96**, 43-64, 1992

Hamilton, D.P. and Burns, J.A., Ejection of dust from Jupiter's gossamer ring. *Nature* **364**, 695-699, 1993

Hamilton, D.P., Grün, E. and Baguhl, M., Electromagnetic escape of dust from the Solar System. In: *Physics, Chemistry and Dynamics of Interplanetary Dust*, ASP Conference Series, Vol. 104, (edited by B. A. Gustafson and M. S. Hanner), page 31-34, 1996

Horanyi, M., Grün, E. and Morfill, G.E., Mechanism for the acceleration and ejection of dust grains from Jupiter's magnetosphere. *Nature* **363**, 144-146, 1993a

Horanyi, M., Grün, E. and Morfill, G.E., The dusty ballerina skirt of Jupiter. *J. Geophys. Res.* **98**, 21245-21251, 1993b

Krüger, H., Grün, E., Hamilton, D. P., Baguhl, M., Dermott, S., Fechtig, H., Gustafson, B. A., Hanner, M. S., Horányi, M., Kissel, J., Lindblad, B.-A., Linkert, D., Linkert, G., Mann, I., McDonnell, J. A. M., Morfill, G. E., Polanskey, C., Riemann, R., Schwehm, G., Srama, R. and Zook, H. A., Three years of Galileo dust data: II. 1993 to 1995. *Planet. Space. Sci.*, 1998, this volume (Paper IV)

Landgraf, M., Modellierung der Dynamik und Interpretation der In-Situ-Messung inter-

stellaren Staubs in der lokalen Umgebung des Sonnensystems. PhD thesis, University of Heidelberg, 1998

Landgraf, M. and Grün, E., In situ measurements of interstellar dust. In: *Proceedings of the IAU Colloquium No. 166 on The Local Bubble and Beyond*, (edited by D. Breitschwerdt, M.J. Freyberg and J. Trümper), Lecture Notes in Physics, Vol. 506, Springer Heidelberg, p. 381-384, 1998

Mann, I., Grün, E., Baguhl, M., Fechtig, H., Hanner, M.S., Kissel, J., Lindblad, B.-A., Linkert, D., McDonnell, J.A.M., Morfill, G.E., Polanskey, C., Riemann, R., Schwehm, G., Siddique, N. and Zook, H.A., Measurements with the Ulysses and Galileo dust detectors close to the ecliptic. In: *Proceedings of the 30th Liege international astrophysical colloquium "Observations and physical properties of small solar system bodies"*, June 1992, Univ. de Liege, Institut d'Astrophysique, 13-17, 1992

Mann, I. and Grün, E., Dust particles beyond the asteroid belt – a study based on recent results of the Ulysses dust experiment. *Planet. Space Sci.* **43**, 827-832, 1995

Mann, I., Grün, E., Wilk, M., The contribution of asteroid dust to the interplanetary dust cloud: The impact of Ulysses results on the understanding of dust production in the asteroid belt and the formation of the IRAS dust bands. *Icarus* **120**, 399-407, 1996a

Mann, I., Wilk, M., Grün, E., Analysis of Ulysses dust measurements within the asteroid belt. In: *Physics, Chemistry and Dynamics of Interplanetary Dust*, ASP Conference Series, Vol. 104, (edited by B. A. Gustafson and M. S. Hanner), page 19-22, 1996b

Riemann, R. and Grün, E., Meteor streams, asteroids and comets near the orbits of Galileo and Ulysses. In: *Proceeding of the workshop on Hypervelocity Impacts in Space*, (edited by J.A.M. McDonnell), University of Kent at Canterbury, 120-125, 1992

Stone, R.G., Bougeret, J.L., Caldwell, J., Canu, P., de Conchy, Y., Cornilleau-Wehrlin, N., Desch, M.D., Fainberg, J., Goetz, K., Goldstein, M.L., Harvey, C.C., Hoang, S., Howard, R., Kaiser, M.L., Kellogg, P., Klein, B., Knoll, R., Lecacheux, A., Langyel-Frey, D., MacDowall, R.J., Manning, R., Meetre, C.A., Meyer, A., Monge, N., Monson, S., Nicol, G., Reiner, M.J., Steinbert, J.L., Torres, E., de Villedary, C., Wouters, F. and Zarka, P., The unified radio and plasma wave investigation. *Astron. Astrophys. Suppl. Ser.* **92**, 291-316, 1992

Svestka, J., Auer, S., Baguhl, M. and Grün, E., Measurements of dust electric charges by the Ulysses and Galileo dust detectors. In: *Physics, Chemistry and Dynamics of Interplanetary Dust*, ASP Conference Series, Vol. 104, (edited by B. A. Gustafson and M. S. Hanner), page 31-34, 1996

Taylor, A. D., McDonnell, J. A. M. and Grün, E., Taurid complex meteoroids detected near aphelion with Ulysses. *Adv. Space Res.* **17**, No. 12, (12)171-(12)175, 1996

Wenzel, K.P., Marsden, R.G., Page, D.E. and Smith, E.J., The Ulysses mission. *Astron. Astrophys. Suppl. Ser.* **92**, 207-219, 1992

Witte, M., Banaszkiewicz, H. and Rosenbauer, H., Recent results on the parameters of interstellar helium from the Ulysses/GAS experiment, *Space Sci. Rev.* **78**, No. 1/2, 289-296, 1996

Zook, H. A., Grün, E., Baguhl, M., Hamilton, D. P., Linkert, G., Liou, J.-C., Forsyth, R. and Phillips, J. L., Solar wind magnetic field bending of jovian dust

trajectories, *Science* **274**, 1501-1503, 1996.

Table 1: Ulysses mission and dust detector (GRU) configuration, tests and other events. Only selected events before 1993 are given. See Sect. 2 for details.

Yr-day	Date	Time	Event
90-279	06.10.90		Ulysses launch
91-154	03.06.91	18:13	GRU heater on: 1,200 mW
92-041	10.02.92	17:00	GRU nominal configuration: HV=3, EVD=C,I, SSEN=0001
93-045	14.02.93	06:53	Ulysses DNEL #2
93-045	14.02.93	22:50	GRU on, nominal configuration
93-120	30.04.93	02:46	GRU new program (FN7 data) load
93-126	06.05.93	23:07	GRU start new program
93-196	15.07.93	02:00	GRU noise test
93-206	25.07.93	01:00	GRU HV=4
93-211	30.07.93	06:03	GRU HV=3
93-221	09.08.93	12:17	Ulysses DNEL #3
93-223	11.08.93	22:36	GRU on
93-224	12.08.93	07:43	GRU nominal configuration
93-231	19.08.93	01:59	GRU noise test
93-259	16.09.93	11:59	GRU noise test
93-287	14.10.93	18:59	GRU noise test
93-315	11.11.93	19:59	GRU noise test
93-331	27.11.93	23:41	Ulysses DNEL #4
93-332	28.11.93	15:21	GRU on
93-332	28.11.93	22:58	GRU nominal configuration
93-343	09.12.93	18:00	GRU noise test
94-006	06.01.94	16:00	GRU noise test
94-034	03.02.94	14:59	GRU noise test
94-062	03.03.94	07:00	GRU noise test
94-090	31.03.94	08:45	GRU noise test
94-118	28.04.94	07:30	GRU noise test
94-146	26.05.94	05:00	GRU noise test
94-174	22.06.94	06:00	GRU noise test
94-202	21.07.94	03:59	GRU noise test
94-230	18.08.94	02:59	GRU noise test
94-258	15.09.94	00:00	GRU noise test
94-276	03.10.94		Ulysses South polar pass (lat. -79° , 2.1AU)
94-281	08.10.94	00:30	GRU heater: 800 mW
94-283	10.10.94	18:45	Ulysses DNEL #5
94-284	11.10.94	23:06	GRU on
94-285	12.10.94	04:17	GRU nominal configuration
94-286	13.10.94	19:59	GRU noise test
94-314	10.11.94	04:59	GRU noise test
94-341	08.12.94	23:59	GRU noise test
95-005	05.01.95	00:00	GRU noise test

Table 1 continued.

Yr-day	Date	Time	Event
95-033	02.02.95	01:59	GRU noise test
95-036	05.02.95	01:24	GRU heater off
95-071	12.03.95	12:01	Ulysses ecliptic plane crossing and perihelion (1.3 AU)
95-152	01.06.95	03:59	GRU noise test
95-163	12.06.95	03:31	GRU heater on: 400 mW
95-180	29.06.95	03:59	GRU noise test
95-208	27.07.95	04:00	GRU noise test
95-216	04.08.95	00:51	GRU heater: 800 mW
95-231	19.08.95		Ulysses North polar pass (lat. +79°, 2.1AU)
95-236	24.08.95	15:59	GRU noise test
95-264	21.09.95	18:59	GRU noise test
95-292	19.10.95	19:59	GRU noise test
95-300	27.10.95	16:23	GRU heater: 1,200 mW
95-320	16.11.95	09:59	GRU noise test
95-344	10.12.95	15:55	Ulysses DNEL # 6
95-344	10.12.95	21:28	GRU on
95-346	12.12.95	08:54	GRU nominal configuration
95-348	14.12.95	15:00	GRU noise test

Abbreviations used: DNEL: Disconnect non-essential loads (i. e. all scientific instruments); HV: channeltron high voltage step; EVD: event definition, ion- (I), channeltron- (C), or electron-channel (E); SSEN: detection thresholds, ICP, CCP, ECP and PCP

Table 2. Overview of dust impacts accumulated with the Ulysses dust detector between 1 January 1993 and 31 December 1995. Switch-on of the instrument is indicated by horizontal lines. The heliocentric distance R , the lengths of the time interval Δt (days) from the previous table entry, and the corresponding numbers of impacts are given for the 24 accumulators. The accumulators are arranged with increasing signal amplitude ranges (AR), with four event classes for each amplitude range (CLN = 0,1,2,3); e.g. AC31 means counter for AR = 1 and CLN = 3. The Δt in the first line (93-001) is the time interval counted from the last entry in Table 3 in Paper III. The totals of counted impacts*, of impacts with complete data, and of all events (noise plus impact events) for the entire period are given as well.

[illegible]

Date	Time	R [AU]	Δt [d]	AC 01*	AC 11*	AC 21	AC 31	AC 02*	AC 12	AC 22	AC 32	AC 03	AC 13	AC 23	AC 33	AC 04	AC 14	AC 24	AC 34	AC 05	AC 15	AC 25	AC 35	AC 06	AC 16	AC 26	AC 36
93-257	01:23	4.299	7.9	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93-265	10:20	4.266	8.4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93-273	01:04	4.235	7.6	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93-281	01:15	4.202	8.0	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
93-288	02:55	4.021	7.1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93-296	06:11	4.138	8.1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
93-304	00:43	4.105	7.8	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
93-312	02:43	3.898	8.1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
93-320	03:49	4.034	8.0	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93-331	17:21	3.792	11.6	4	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
93-332	17:22	3.786	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93-340	01:29	3.943	7.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93-348	00:46	3.906	8.0	1	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
93-356	00:16	3.868	8.0	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
93-363	00:49	3.834	7.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94-006	01:02	3.795	8.0	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
94-014	01:59	3.755	8.0	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94-022	00:58	3.715	8.0	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
94-030	00:15	3.674	8.0	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94-037	02:40	3.614	7.1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
94-045	00:18	3.596	7.9	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94-052	00:41	3.559	7.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94-060	01:07	3.516	8.0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94-068	00:22	3.473	8.0	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94-075	00:42	3.434	7.0	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94-083	00:55	3.389	8.0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94-090	01:14	3.350	7.0	4	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94-098	01:19	3.304	8.0	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94-106	00:45	3.257	8.0	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94-113	00:46	3.216	7.0	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
94-124	00:05	3.150	11.0	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
94-131	00:15	3.108	7.0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94-138	01:26	3.065	7.0	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94-146	00:26	3.016	8.0	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94-154	00:44	2.966	8.0	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
94-162	00:27	2.915	8.0	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94-169	23:56	2.728	8.0	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94-177	00:04	2.818	7.0	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94-184	00:12	2.773	7.0	4	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
94-192	00:11	2.720	8.0	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94-199	02:39	2.506	7.1	1	-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94-207	00:07	2.619	7.9	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94-214	00:09	2.572	7.0	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94-221	00:43	2.524	7.0	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94-229	00:55	2.469	8.0	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

[illegible]

Date	Time	R [AU]	Δt [d]	AC 01*	AC 11*	AC 21	AC 31	AC 02*	AC 12	AC 22	AC 32	AC 03	AC 13	AC 23	AC 33	AC 04	AC 14	AC 24	AC 34	AC 05	AC 15	AC 25	AC 35	AC 06	AC 16	AC 26	AC 36
95-212	00:07	2.032	7.9	2	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-219	00:07	2.082	7.0	1	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-226	01:16	2.131	7.0	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-233	01:42	2.181	7.0	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-240	23:59	2.450	7.9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-248	00:49	2.287	7.0	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
95-255	01:18	2.336	7.0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-262	01:50	2.385	7.0	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
95-270	00:19	2.441	7.9	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-277	00:19	2.489	7.0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-284	01:14	2.538	7.0	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-292	00:08	2.592	8.0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-299	00:27	2.640	7.0	2	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
95-306	01:38	2.687	7.0	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-313	01:38	2.733	7.0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-320	03:37	2.780	7.1	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
95-328	01:21	2.831	7.9	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-335	02:38	3.146	7.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-344	13:11	2.937	9.4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-345	00:05	2.941	0.5																								
95-352	01:00	2.985	7.0	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
95-360	01:15	3.035	8.0	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Impacts (counted)				235*	17*	1	18	40*	30	5	47	3	9	6	63	0	4	3	12	0	3	2	5	0	3	0	4
Impacts (complete data)				235	17	1	18	40	30	5	47	2	9	6	63	0	4	3	12	0	3	2	5	0	3	0	4
All events(complete data)				68176	3676	1	18	738	30	5	47	3	9	6	63	1	4	3	12	0	3	2	5	0	3	0	4

: Entries for AC01, AC11 and AC02 are the number of impacts with complete data. Due to the noise contamination of these three categories the number of impacts cannot be determined from the accumulators. The method to separate dust impacts from noise events in these three categories has been given by Baguhl et al. (1993)

Raw data: No., impact time, CLN, AR, SEC, IA, EA, CA, IT, ET, EIT, EIC, ICC, PA, PET, EVD, ICP, ECP, CCP, PCP, HV and evaluated data: R, LON, LAT, D_{Jup} , rotation angle
instr. pointing (S_{LON} , S_{LAT}), speed (V), speed error factor (VEF), mass (M) and mass error factor (MEF).

MP. DATE	C N	AR	S E C	IA	EA	CA	IT	ET	E I T	E I C	I I C	PA	P E T	E V D	I C P	E C P	C C P	P C P	HV	R	LON	LAT	D_{Jup}	ROT	S_{LON}	S_{LAT}	V	VEF	M	MEF
3-001 08:03	1	1	108	7	4	10	9	13	0	1	1	0	0	1	0	0	0	1	3	5.06620	160.6	-15.6	5295.9	49	253	41	14.1	1.9	$5.4 \cdot 10^{-14}$	10.5
3-003 09:06	3	3	108	20	25	11	6	6	6	0	1	43	0	1	0	0	0	1	3	5.06177	160.6	-15.8	5327.6	999	999	999	28.0	1.6	$5.9 \cdot 10^{-13}$	6.0
3-004 10:56	3	2	120	12	20	6	7	6	6	0	1	38	0	1	0	0	0	1	3	5.05968	160.6	-15.8	5342.5	67	259	23	34.1	1.9	$5.2 \cdot 10^{-14}$	10.5
3-005 05:55	3	2	129	10	15	11	6	7	6	0	1	36	0	1	0	0	0	1	3	5.05811	160.6	-15.9	5353.6	80	263	11	43.5	1.9	$8.5 \cdot 10^{-15}$	10.5
3-005 13:43	3	3	249	19	22	11	7	7	6	0	1	41	0	1	0	0	0	1	3	5.05732	160.6	-15.9	5359.2	999	999	999	21.0	1.6	$8.2 \cdot 10^{-13}$	6.0
3-008 15:36	3	2	60	8	13	9	9	9	9	0	1	0	0	1	0	0	0	1	3	5.05073	160.7	-16.1	5405.6	999	999	999	21.0	1.6	$7.2 \cdot 10^{-14}$	6.0
3-012 20:05	0	2	189	9	2	0	9	15	15	1	0	39	30	1	0	0	0	1	3	5.04191	160.7	-16.3	5466.8	168	322	-63	14.1	1.9	$5.8 \cdot 10^{-14}$	10.5
3-012 23:34	0	1	129	7	5	0	7	15	15	1	0	0	0	1	0	0	0	1	3	5.04165	160.7	-16.3	5468.6	999	999	999	34.1	1.9	$2.7 \cdot 10^{-15}$	10.5
3-014 02:40	3	2	157	11	19	5	8	6	8	0	1	37	0	1	0	0	0	1	3	5.03922	160.7	-16.4	5485.3	122	277	-27	21.4	1.9	$1.7 \cdot 10^{-13}$	10.5
3-018 08:39	0	1	15	4	3	0	11	15	15	1	0	9	30	1	0	0	0	1	3	5.02999	160.8	-16.6	5548.0	999	999	999	7.8	1.9	$1.3 \cdot 10^{-13}$	10.5
3-021 13:52	1	2	177	15	20	7	10	5	0	1	1	36	0	1	0	0	0	1	3	5.02285	160.8	-16.8	5595.8	156	304	-55	24.1	2.0	$2.5 \cdot 10^{-13}$	11.5
3-024 09:11	3	2	130	11	14	1	8	11	11	0	1	0	0	1	0	0	0	1	3	5.01647	160.8	-16.9	5638.1	93	265	0	20.8	1.6	$1.4 \cdot 10^{-13}$	6.0
3-026 14:10	3	3	243	19	23	27	6	6	6	0	1	42	0	1	0	0	0	1	3	5.01172	160.9	-17.1	5669.2	999	999	999	28.0	1.6	$3.3 \cdot 10^{-13}$	6.0
3-035 02:33	3	2	243	12	19	6	7	6	6	0	1	38	0	1	0	0	0	1	3	4.99242	161.0	-17.5	5793.4	999	999	999	34.1	1.9	$3.9 \cdot 10^{-14}$	10.5
3-038 01:40	1	1	87	7	2	11	9	15	0	1	1	0	0	1	0	0	0	1	3	4.98549	161.0	-17.7	5837.0	48	244	41	14.1	1.9	$4.2 \cdot 10^{-14}$	10.5
3-040 18:36	0	1	65	1	2	0	15	15	15	1	0	37	30	1	0	0	0	1	3	4.97908	161.0	-17.9	5876.9	21	220	64	11.8	11.8	$2.3 \cdot 10^{-14}$	5858.3
3-041 12:09	1	2	118	9	15	7	8	0	0	1	1	7	24	1	0	0	0	1	3	4.97732	161.0	-17.9	5887.7	95	263	-2	21.4	1.9	$9.9 \cdot 10^{-14}$	10.5
3-044 06:24	3	1	110	6	10	7	8	9	8	0	1	0	0	1	0	0	0	1	3	4.97085	161.1	-18.1	5927.5	88	260	4	25.9	1.6	$1.4 \cdot 10^{-14}$	6.0
3-047 00:51	1	3	113	21	15	25	5	0	5	0	1	45	0	1	0	0	0	1	3	4.96433	161.1	-18.2	5967.2	999	999	999	34.1	1.9	$1.1 \cdot 10^{-13}$	10.5
3-049 13:05	0	2	140	9	14	0	7	8	7	0	0	35	0	1	0	0	0	1	3	4.95836	161.1	-18.4	6003.2	140	285	-41	35.4	1.6	$1.6 \cdot 10^{-14}$	6.0
3-051 08:32	3	2	113	12	20	9	7	7	7	0	1	1	0	1	0	0	0	1	3	4.95415	161.2	-18.5	6028.4	108	266	-14	34.1	1.9	$5.2 \cdot 10^{-14}$	10.5
3-052 03:08	3	3	82	19	24	7	6	7	6	0	1	43	0	1	0	0	0	1	3	4.95204	161.2	-18.5	6041.0	71	251	19	25.9	1.6	$5.0 \cdot 10^{-13}$	6.0
3-052 08:57	3	2	198	14	21	1	8	6	6	0	1	40	0	1	0	0	0	1	3	4.95174	161.2	-18.5	6042.7	999	999	999	21.4	1.9	$4.2 \cdot 10^{-13}$	10.5
3-053 02:21	3	3	186	19	23	11	7	8	6	0	1	41	0	1	0	0	0	1	3	4.94992	161.2	-18.6	6053.5	999	999	999	19.3	1.6	$1.4 \cdot 10^{-12}$	6.0
3-063 13:11	0	1	85	7	7	0	9	15	0	1	0	0	0	1	0	0	0	1	3	4.92411	161.3	-19.2	6203.5	106	262	-12	14.1	1.9	$9.2 \cdot 10^{-14}$	10.5
3-066 23:27	0	1	82	1	6	0	15	7	11	0	0	12	24	1	0	0	0	1	3	4.91565	161.4	-19.4	6251.5	114	265	-19	56.0	2.0	$1.5 \cdot 10^{-16}$	12.5
3-070 08:31	0	2	210	11	20	0	7	5	6	0	0	39	0	1	0	0	0	1	3	4.90711	161.4	-19.6	6299.3	999	999	999	34.1	1.9	$4.4 \cdot 10^{-14}$	10.5
3-070 16:19	3	2	62	12	20	1	7	6	6	0	1	38	0	1	0	0	0	1	3	4.90616	161.4	-19.6	6304.6	96	256	-3	34.1	1.9	$5.2 \cdot 10^{-14}$	10.5
3-071 06:43	0	1	63	4	5	0	14	6	11	0	0	54	1	1	0	0	0	1	3	4.90457	161.4	-19.6	6313.4	98	257	-4	2.0	1.9	$1.9 \cdot 10^{-11}$	10.5
3-073 19:21	3	3	13	22	29	6	9	3	5	0	1	47	0	1	0	0	0	1	3	4.89818	161.4	-19.8	6348.7	32	221	53	7.8	1.9	$9.1 \cdot 10^{-11}$	10.5
3-074 22:26	3	2	75	10	19	8	9	6	7	0	1	36	0	1	0	0	0	1	3	4.89529	161.5	-19.8	6364.5	124	268	-27	14.1	1.9	$6.7 \cdot 10^{-13}$	10.5
3-077 08:18	3	2	28	11	19	1	7	6	8	0	1	37	0	1	0	0	0	1	3	4.88915	161.5	-20.0	6398.0	62	240	28	34.1	1.9	$3.3 \cdot 10^{-14}$	10.5
3-078 00:18	3	2	94	14	24	1	8	5	6	0	1	44	0	1	0	0	0	1	3	4.88721	161.5	-20.0	6408.5	155	294	-51	21.4	1.9	$6.7 \cdot 10^{-13}$	10.5
3-079 18:50	3	3	39	22	27	10	6	5	6	0	1	46	0	1	0	0	0	1	3	4.88266	161.5	-20.1	6433.0	81	248	10	34.6	1.6	$5.9 \cdot 10^{-13}$	6.0
3-080 08:50	0	1	21	5	15	0	7	0	0	1	0	36	30	1	0	0	0	1	3	4.88135	161.5	-20.2	6440.1	56	236	33	34.1	1.9	$9.9 \cdot 10^{-15}$	10.5
3-083 14:50	3	2	48	11	15	3	8	9	8	0	1	35	0	1	0	0	0	1	3	4.87283	161.6	-20.4	6485.5	100	254	-6	21.4	1.9	$1.4 \cdot 10^{-13}$	10.5
3-084 18:01	1	1	250	5	15	2	10	0	0	1	1	12	24	1	0	0	0	1	3	4.86953	161.6	-20.4	6503.0	24	209	59	10.4	1.9	$4.8 \cdot 10^{-13}$	10.5
3-086 14:07	3	3	57	20	26	8	5	5	6	0	1	46	0	1	0	0	0	1	3	4.86490	161.6	-20.5	6527.4	116	262	-20	43.7	1.6	$1.4 \cdot 10^{-13}$	6.0
3-086 21:34	3	2	55	12	20	9	7	5	6	0	1	37	0	1	0	0	0	1	3	4.86390	161.6	-20.6	6532.6	114	260	-18	34.1	1.9	$5.2 \cdot 10^{-14}$	10.5
3-087 21:41	3	2	36	10	19	8	7	6	6	0	1	37	0	1	0	0	0	1	3	4.86124	161.6	-20.6	6546.6	89	249	3	34.1	1.9	$2.9 \cdot 10^{-14}$	10.5
3-088 00:36	0	2	2	11	15	0	8	0	6	0	0	38	0	1	0	0	0	1	3	4.86091	161.6	-20.6	6548.3	41	224	46	21.4	1.9	$1.4 \cdot 10^{-13}$	10.5
3-091 13:36	0	1	122	2	3	0	15	5	12	0	0	11	24	1	0	0	0	1	3	4.85154	161.7	-20.8	6597.0	214	26	-45	11.8	11.8	$3.2 \cdot 10^{-14}$	5858.3
3-095 16:13	3	2	9	10	19	8	9	7	7	0	1	36	0	1	0	0	0	1	3	4.84039	161.7	-21.1	6654.1	999	999	999	14.1	1.9	$6.7 \cdot 10^{-13}$	10.5
3-096 09:35	1	2	158	10	11	2	11	13	0	1	1	43	12	1	0	0	0	1	3	4.83835	161.7	-21.1	6664.4	999	999	999	7.8	1.9	$1.4 \cdot 10^{-12}$	10.5
3-097 01:22	1	2	85	10	7	1	10	15	0	1	1	37	31	1	0	0	0	1	3	4.83664	161.8	-21.2	6673.1	167	308	-56	10.4	1.9	$3.1 \cdot 10^{-13}$	10.5
3-100 02:20	0	1	163	3	6	0	9	10	9	0	0	2	24	1	0	0	0	1	3	4.82843	161.8	-21.3	6714.4	279	61	10	19.3	1.6	$1.3 \cdot 10^{-14}$	6.0
3-102 05:13	1	2	246	8	5	6	10	15	15	1	1	35	31	1	0	0	0	1	3	4.82257	161.8	-21.5	6743.6	38	219	49	10.4	1.9	$1.6 \cdot 10^{-13}$	10.5
3-104 10:41	1	1	249	6	6	12	8	14	0	1	1	0	0	1	0	0	0	1	3	4.81633	161.8	-21.6	6774.5	43						

MP. DATE	C _N	AR	S _E	IA	EA	CA	IT	ET	E _T	E _C	I _C	PA	P _E	E _V	I _C	E _C	C _P	P _C	HV	R	LON	LAT	D _{Jup}	ROT	S _{LON}	S _{LAT}	V	VEF	M	MEF
3-115 12:43	3	2	15	13	21	7	7	5	6	0	1	39	0	1	0	0	0	1	3	4.78496	162.0	-22.3	6926.1	81	241	10	34.1	1.9	$7.1 \cdot 10^{-14}$	10.5
3-117 17:30	3	2	11	14	22	11	8	8	6	0	1	41	0	1	0	0	0	1	3	4.77887	162.0	-22.4	6954.9	76	239	15	21.4	1.9	$5.0 \cdot 10^{-13}$	10.5
3-118 07:41	0	1	175	6	4	0	7	15	15	1	0	33	31	1	0	0	0	1	3	4.77707	162.0	-22.5	6963.4	308	72	36	34.1	1.9	$1.9 \cdot 10^{-10}$	10.5
3-119 12:55	3	4	23	27	49	28	8	7	5	0	1	47	0	1	0	0	0	1	3	4.77347	162.1	-22.5	6980.2	94	246	-1	10.4	1.9	$1.9 \cdot 10^{-10}$	10.5
3-122 04:32	0	1	64	7	9	0	10	15	0	1	0	55	31	1	0	0	0	1	3	4.76586	162.1	-22.7	7015.6	153	284	-49	4.9	1.7	$2.6 \cdot 10^{-12}$	7.7
3-122 07:37	2	2	212	12	20	1	7	5	6	0	1	39	0	1	0	0	0	1	3	4.76550	162.1	-22.7	7017.3	1	153	70	34.1	1.9	$5.2 \cdot 10^{-14}$	10.5
3-131 12:23	3	1	121	2	5	1	9	9	10	0	1	0	0	1	0	0	0	1	3	4.73830	162.2	-23.3	7141.2	237	39	-26	31.3	2.0	$1.6 \cdot 10^{-15}$	12.5
3-145 21:41	1	2	66	10	6	9	10	15	0	1	1	0	0	1	0	0	0	1	3	4.69480	162.4	-24.2	7331.4	165	301	-56	10.4	1.9	$2.6 \cdot 10^{-13}$	10.5
3-154 21:05	3	3	135	19	25	10	8	5	6	0	1	45	0	1	0	0	0	1	3	4.66679	162.6	-24.8	7448.9	267	53	0	24.1	2.0	$7.5 \cdot 10^{-13}$	11.5
3-155 20:43	0	1	175	1	3	0	15	15	12	0	0	3	24	1	0	0	0	1	3	4.66404	162.6	-24.8	7460.3	323	82	50	11.8	11.8	$2.6 \cdot 10^{-14}$	5858.3
3-158 20:55	1	1	23	2	0	5	15	0	0	0	1	0	0	1	0	0	0	1	3	4.65455	162.6	-25.0	7499.1	110	253	-15	11.8	11.8	$5.8 \cdot 10^{-14}$	5858.3
3-160 04:10	1	1	228	1	2	1	15	15	0	1	1	10	31	1	0	0	0	1	3	4.65019	162.7	-25.1	7516.9	39	219	48	11.8	11.8	$2.3 \cdot 10^{-14}$	5858.3
3-162 17:15	3	3	240	21	26	12	5	5	5	0	1	45	0	1	0	0	0	1	3	4.64221	162.7	-25.3	7549.2	57	230	32	43.7	1.6	$1.6 \cdot 10^{-13}$	6.0
3-163 15:09	0	1	72	3	6	0	14	15	0	1	0	17	30	1	0	0	0	1	3	4.63900	162.7	-25.4	7562.0	181	333	-60	2.1	1.6	$1.4 \cdot 10^{-11}$	6.0
3-171 19:01	3	3	17	19	23	6	6	7	6	0	1	42	0	1	0	0	0	1	3	4.61268	162.8	-25.9	7666.0	107	252	-12	25.9	1.6	$4.3 \cdot 10^{-13}$	6.0
3-176 22:59	3	2	38	14	21	11	8	6	6	0	1	40	0	1	0	0	0	1	3	4.59583	162.9	-26.2	7731.1	139	271	-40	21.4	1.9	$4.2 \cdot 10^{-13}$	10.5
3-193 10:41	3	2	229	15	22	7	7	7	6	0	1	40	0	1	0	0	0	1	3	4.54024	163.2	-27.4	7937.8	56	233	33	34.1	1.9	$1.1 \cdot 10^{-13}$	10.5
3-197 08:49	1	2	44	14	7	13	10	15	0	1	1	38	31	1	0	0	0	1	3	4.52689	163.3	-27.6	7985.7	158	294	-53	10.4	1.9	$5.8 \cdot 10^{-13}$	10.5
3-203 00:22	3	3	252	19	23	9	6	6	6	0	1	43	0	1	0	0	0	1	3	4.50686	163.3	-28.0	8056.3	94	251	-1	28.0	1.6	$3.3 \cdot 10^{-13}$	6.0
3-213 20:04	3	3	18	20	25	7	5	6	6	0	1	44	0	1	0	0	0	1	3	4.46874	163.5	-28.8	8186.9	135	274	-36	35.4	1.6	$2.8 \cdot 10^{-13}$	6.0
3-215 18:32	1	2	203	14	21	6	7	15	0	1	1	23	31	1	0	0	0	1	3	4.46155	163.6	-28.9	8211.0	36	223	51	34.1	1.9	$8.3 \cdot 10^{-14}$	10.5
3-217 16:28	0	1	199	4	8	0	8	8	0	0	3	24	1	0	0	0	0	1	3	4.45478	163.6	-29.0	8233.5	33	221	53	28.0	1.6	$5.2 \cdot 10^{-15}$	6.0
3-217 16:49	3	3	214	20	26	10	5	5	5	0	1	46	0	1	0	0	0	1	3	4.45478	163.6	-29.0	8233.5	54	236	35	43.7	1.6	$1.4 \cdot 10^{-13}$	6.0
3-227 01:34	0	1	31	6	6	0	12	15	0	1	0	15	30	1	0	0	0	1	3	4.42053	163.8	-29.7	8345.2	167	314	-57	5.0	1.9	$1.2 \cdot 10^{-12}$	10.5
3-227 08:50	3	2	190	10	19	3	8	5	7	0	1	39	0	1	0	0	0	1	3	4.41961	163.8	-29.7	8348.2	31	221	55	21.4	1.9	$1.5 \cdot 10^{-13}$	10.5
3-233 08:37	3	3	241	19	24	11	5	5	5	0	1	43	0	1	0	0	0	1	3	4.39732	163.9	-30.2	8418.9	113	266	-17	43.7	1.6	$7.3 \cdot 10^{-14}$	6.0
3-233 13:27	2	2	247	14	21	5	8	6	6	0	1	40	0	1	0	0	0	1	3	4.39639	163.9	-30.2	8421.8	121	270	-25	21.4	1.9	$4.2 \cdot 10^{-13}$	10.5
3-233 14:05	3	2	212	14	21	11	7	6	6	0	1	40	0	1	0	0	0	1	3	4.39639	163.9	-30.2	8421.8	72	248	18	34.1	1.9	$8.3 \cdot 10^{-14}$	10.5
3-233 20:04	3	3	211	19	23	11	7	7	6	0	1	42	0	1	0	0	0	1	3	4.39545	163.9	-30.2	8424.7	71	247	19	21.0	1.6	$9.6 \cdot 10^{-13}$	6.0
3-237 12:44	0	1	252	4	3	0	8	15	15	1	0	20	30	1	0	0	0	1	3	4.38136	164.0	-30.5	8468.6	133	278	-34	21.4	1.9	$6.1 \cdot 10^{-15}$	10.5
3-248 02:48	3	1	213	7	11	18	7	8	7	0	1	0	0	1	0	0	0	1	3	4.34132	164.2	-31.3	8589.9	95	260	-1	35.4	1.6	$6.9 \cdot 10^{-15}$	6.0
3-248 14:18	0	1	61	4	7	0	7	7	8	0	0	7	24	1	0	0	0	1	3	4.33939	164.2	-31.3	8595.7	241	56	-22	43.7	1.6	$8.4 \cdot 10^{-16}$	6.0
3-256 08:54	0	2	160	10	23	0	10	4	8	0	0	44	0	1	0	0	0	1	3	4.30924	164.3	-31.9	8684.0	38	232	48	10.4	1.9	$2.9 \cdot 10^{-12}$	10.5
3-258 00:01	1	2	158	8	1	8	9	13	0	1	1	6	24	1	0	0	0	1	3	4.30237	164.4	-32.0	8703.7	38	233	48	14.1	1.9	$4.2 \cdot 10^{-14}$	10.5
3-263 21:54	3	2	150	8	12	5	8	9	8	0	1	0	0	1	0	0	0	1	3	4.27911	164.5	-32.5	8769.7	36	232	49	25.9	1.6	$2.7 \cdot 10^{-14}$	6.0
3-267 18:55	3	2	185	13	20	6	9	12	8	0	1	38	0	1	0	0	0	1	3	4.26362	164.6	-32.8	8812.9	89	262	3	14.1	1.9	$1.4 \cdot 10^{-12}$	10.5
3-272 08:20	0	1	40	5	8	0	8	8	8	0	0	0	0	1	0	0	0	1	3	4.24547	164.7	-33.1	8862.7	250	65	-14	28.0	1.6	$6.2 \cdot 10^{-15}$	6.0
3-272 12:41	0	1	166	2	3	0	15	15	0	1	0	42	30	1	0	0	0	1	3	4.24446	164.7	-33.1	8865.5	67	253	23	11.8	11.8	$3.2 \cdot 10^{-14}$	5858.3
3-272 18:08	3	2	184	13	20	11	9	12	9	0	1	38	0	1	0	0	0	1	3	4.24345	164.7	-33.1	8868.2	92	265	0	14.1	1.9	$1.4 \cdot 10^{-12}$	10.5
3-275 13:58	1	2	225	14	10	5	7	15	0	1	1	60	31	1	0	0	0	1	3	4.23227	164.7	-33.4	8898.5	155	309	-48	34.1	1.9	$2.1 \cdot 10^{-14}$	10.5
3-278 13:17	2	2	162	14	22	4	8	4	6	0	1	40	0	1	0	0	0	1	3	4.22000	164.8	-33.6	8931.3	68	255	22	21.4	1.9	$5.0 \cdot 10^{-13}$	10.5
3-281 01:19	3	3	167	19	25	23	6	6	6	0	1	44	0	1	0	0	0	1	3	4.20972	164.9	-33.8	8958.5	79	261	12	28.0	1.6	$4.4 \cdot 10^{-13}$	6.0
3-283 02:02	0	2	209	8	5	0	7	15	0	1	0	57	30	1	0	0	0	1	3	4.20147	164.9	-34.0	8980.2	140	296	-38	34.1	1.9	$3.3 \cdot 10^{-15}$	10.5
3-286 09:31	0	1	186	6	5	0	10	15	0	1	0	38	31	1	0	0	0	1	3	4.18745	165.0	-34.2	9016.6	110	277	-13	10.4	1.9	$1.1 \cdot 10^{-13}$	10.5
3-289 02:17	3	5	254	49	49	28	15	5	6	0	1	63	0	1	0	0	0	1	3	4.17649	165.0	-34.4	9044.8	207	35	-46	11.8	11.8	$3.4 \cdot 10^{-10}$	5858.3
3-289 15:05	1	1	109	6	1	1	10	15	0	1	1	10	31	1	0	0	0	1	3	4.17387	165.1	-34.5	9051.5	3	180	66	10.4	1.9	$6.0 \cdot 10^{-14}$	10.5
3-291 06:05	1	2	198	8	2	2	10	15	0	1	1	38	31	1	0	0	0	1	3	4.16705	165.1	-34.6	9068.8	129	290	-30	10.4	1.9	$1.0 \cdot 10^{-13}$	10.5
3-296 21:08	3	3	140	20	25	10	5	6	6	0	1	44	0	1	0	0	0	1	3	4.14326	165.2	-35.1	9128.5	54	250	34	35.4	1.6	$2.8 \cdot 10^{-13}$	6.0
3-299 20:05	3	4	156	24	30	18	6	4	5	0	1	47																		

MP. DATE	C N	AR	S E C	IA	EA	CA	IT	ET	E T	E L C	I L C	PA	P E T	E V D	I C P	E C P	C C P	P C P	HV	R	LON	LAT	D _{Jup}	ROT	S _{LON}	S _{LAT}	V	VEF	M	MEF
3-319 15:34	3	2	142	14	22	1	7	5	6	0	1	42	0	1	0	0	0	1	3	4.04434	165.8	-37.0	9363.7	67	261	22	34.1	1.9	$9.7 \cdot 10^{-14}$	10.5
3-319 17:36	3	2	156	14	22	14	7	6	6	0	1	41	0	1	0	0	0	1	3	4.04434	165.8	-37.0	9363.7	87	272	5	34.1	1.9	$9.7 \cdot 10^{-14}$	10.5
3-320 03:49	0	1	79	2	6	0	15	7	9	0	0	8	31	1	0	0	0	1	3	4.04212	165.8	-37.0	9368.8	341	144	56	56.0	2.0	$1.8 \cdot 10^{-15}$	12.5
3-321 11:24	3	2	79	8	13	1	7	7	6	0	1	0	0	1	0	0	0	1	3	4.03656	165.8	-37.1	9381.4	340	143	56	43.7	1.6	$4.7 \cdot 10^{-15}$	6.0
3-323 09:14	0	1	120	7	2	0	8	15	0	1	0	0	0	1	0	0	0	1	3	4.02762	165.9	-37.3	9401.5	39	241	43	21.4	1.9	$9.1 \cdot 10^{-15}$	10.5
3-323 18:53	1	2	155	9	3	12	9	15	0	1	1	0	0	1	0	0	0	1	3	4.02594	165.9	-37.3	9405.2	88	274	4	14.1	1.9	$6.6 \cdot 10^{-14}$	10.5
3-324 03:31	0	1	105	5	3	0	12	15	0	1	0	41	30	1	0	0	0	1	3	4.02426	165.9	-37.4	9409.0	18	215	57	5.0	1.9	$6.1 \cdot 10^{-13}$	10.5
3-325 08:32	3	3	179	19	24	2	5	5	6	0	1	44	0	1	0	0	0	1	3	4.01921	165.9	-37.5	9420.3	123	296	-23	43.7	1.6	$7.3 \cdot 10^{-14}$	6.0
3-325 19:17	1	4	180	28	31	18	7	5	3	1	1	47	0	1	0	0	0	1	3	4.01697	166.0	-37.5	9425.2	125	297	-24	28.1	1.6	$5.4 \cdot 10^{-12}$	6.0
3-326 15:21	0	1	66	5	1	0	7	15	0	1	0	0	0	1	0	0	0	1	3	4.01303	166.0	-37.6	9434.0	324	124	46	34.1	1.9	$1.1 \cdot 10^{-15}$	10.5
3-343 03:13	0	2	83	8	13	0	7	7	6	0	0	35	0	1	0	0	0	1	3	3.93755	166.4	-39.0	9595.7	356	176	57	43.7	1.6	$4.7 \cdot 10^{-15}$	6.0
3-344 14:09	0	1	151	1	11	0	15	9	15	1	0	9	31	1	0	0	0	1	3	3.93111	166.5	-39.2	9608.9	93	281	0	11.8	11.8	$1.0 \cdot 10^{-13}$	5858.3
3-345 15:17	3	4	176	24	29	25	9	9	6	0	1	47	0	1	0	0	0	1	3	3.92595	166.5	-39.3	9619.7	128	304	-24	12.6	1.6	$3.7 \cdot 10^{-11}$	6.0
3-345 18:07	3	3	159	22	29	12	9	5	5	0	1	47	0	1	0	0	0	1	3	3.92533	166.5	-39.3	9620.9	104	287	-7	7.8	1.9	$9.1 \cdot 10^{-11}$	10.5
3-347 07:50	3	3	129	20	25	28	5	5	5	0	1	43	0	1	0	0	0	1	3	3.91831	166.6	-39.4	9635.2	63	261	24	43.7	1.6	$1.1 \cdot 10^{-13}$	6.0
3-349 02:45	3	3	126	21	27	11	5	5	6	0	1	46	0	1	0	0	0	1	3	3.91011	166.6	-39.6	9651.9	60	259	26	43.7	1.6	$1.9 \cdot 10^{-13}$	6.0
3-363 14:05	1	1	178	6	2	4	11	15	0	1	1	37	31	1	0	0	0	1	3	3.84108	167.1	-40.9	9787.6	141	320	-30	7.8	1.9	$1.5 \cdot 10^{-13}$	10.5
3-364 16:19	3	3	147	19	23	26	6	6	6	0	1	42	0	1	0	0	0	1	3	3.83564	167.1	-41.0	9797.9	100	287	-3	28.0	1.6	$3.3 \cdot 10^{-13}$	6.0
4-005 20:40	3	3	143	23	29	14	7	5	5	0	1	47	0	1	0	0	0	1	3	3.80587	167.3	-41.6	9853.7	97	286	0	28.1	1.6	$1.9 \cdot 10^{-12}$	6.0
4-005 20:55	0	1	160	1	10	0	15	9	15	1	0	43	26	1	0	0	0	1	3	3.80587	167.3	-41.6	9853.7	121	303	-16	11.8	11.8	$8.6 \cdot 10^{-14}$	5858.3
4-008 16:32	3	2	119	14	22	13	9	9	6	0	1	40	0	1	0	0	0	1	3	3.79177	167.4	-41.9	9879.6	64	262	21	14.1	1.9	$2.3 \cdot 10^{-12}$	10.5
4-010 03:52	3	3	120	19	23	11	6	7	6	0	1	41	0	1	0	0	0	1	3	3.78439	167.5	-42.1	9893.1	67	264	19	25.9	1.6	$4.3 \cdot 10^{-13}$	6.0
4-016 19:49	0	1	158	6	3	0	8	14	0	1	0	0	0	1	0	0	0	1	3	3.75154	167.7	-42.7	9951.9	127	310	-19	21.4	1.9	$8.5 \cdot 10^{-15}$	10.5
4-019 18:56	0	1	117	5	10	0	7	8	7	0	0	4	24	1	0	0	0	1	3	3.73654	167.8	-43.0	9978.2	71	266	16	35.4	1.6	$4.1 \cdot 10^{-15}$	6.0
4-019 20:49	3	4	106	27	31	23	7	6	5	0	1	47	0	1	0	0	0	1	3	3.73654	167.8	-43.0	9978.2	56	253	-26	22.7	1.6	$9.8 \cdot 10^{-12}$	6.0
4-020 14:01	3	1	170	6	9	5	7	8	7	0	1	0	0	1	0	0	0	1	3	3.73278	167.8	-43.1	9984.8	145	327	-27	35.4	1.6	$4.1 \cdot 10^{-15}$	6.0
4-021 10:20	0	1	100	2	1	0	12	15	0	1	0	17	31	1	0	0	0	1	3	3.72838	167.9	-43.2	9992.4	51	249	28	11.8	11.8	$2.4 \cdot 10^{-14}$	5858.3
4-023 13:27	0	1	139	1	10	0	15	9	15	1	0	43	22	1	0	0	0	1	3	3.71767	167.9	-43.4	10010.8	106	292	-5	11.8	11.8	$8.6 \cdot 10^{-14}$	5858.3
4-024 06:21	3	2	124	15	22	19	7	6	6	0	1	41	0	1	0	0	0	1	3	3.71388	168.0	-43.5	10017.3	84	276	8	34.1	1.9	$1.1 \cdot 10^{-13}$	10.5
4-029 00:21	0	1	155	4	8	0	8	7	8	0	0	0	0	1	0	0	0	1	3	3.68977	168.1	-43.9	10058.1	136	318	-21	34.6	1.6	$2.7 \cdot 10^{-15}$	6.0
4-035 11:15	3	3	102	20	25	11	6	6	5	0	1	44	0	1	0	0	0	1	3	3.65708	168.4	-44.6	10112.1	70	261	16	28.0	1.6	$5.9 \cdot 10^{-13}$	6.0
4-036 00:01	3	3	137	22	24	19	11	12	10	0	1	47	0	1	0	0	0	1	3	3.65386	168.4	-44.7	10117.3	119	302	-11	2.8	1.6	$1.0 \cdot 10^{-09}$	6.0
4-036 04:45	3	3	139	19	24	1	5	5	6	0	1	44	0	1	0	0	0	1	3	3.65321	168.4	-44.7	10118.4	122	304	-13	43.7	1.6	$7.3 \cdot 10^{-14}$	6.0
4-037 05:32	0	1	213	2	6	0	9	9	10	0	0	0	0	1	0	0	0	1	3	3.64804	168.5	-44.8	10126.7	226	54	-19	31.3	2.0	$1.9 \cdot 10^{-15}$	12.5
4-040 03:11	3	3	103	20	25	9	5	5	6	0	1	45	0	1	0	0	0	1	3	3.63248	168.6	-45.1	10151.7	76	265	12	43.7	1.6	$1.1 \cdot 10^{-13}$	6.0
4-041 22:30	1	2	128	12	10	1	8	15	15	1	1	10	31	1	0	0	0	1	3	3.62337	168.7	-45.3	10166.2	116	298	-9	21.4	1.9	$7.6 \cdot 10^{-14}$	10.5
4-057 03:32	0	1	212	4	8	0	7	8	8	0	0	0	0	1	0	0	0	1	3	3.54275	169.3	-46.9	10289.3	256	73	-2	35.4	1.6	$2.4 \cdot 10^{-15}$	6.0
4-064 04:07	3	3	108	20	25	17	7	8	6	0	1	44	0	1	0	0	0	1	3	3.50502	169.7	-47.7	10344.0	122	295	-9	19.3	1.6	$2.5 \cdot 10^{-12}$	6.0
4-069 17:45	0	1	39	4	8	0	8	8	8	0	0	0	0	1	0	0	0	1	3	3.47505	169.9	-48.3	10386.2	32	208	28	28.0	1.6	$5.2 \cdot 10^{-15}$	6.0
4-073 23:07	3	3	100	23	29	12	6	4	5	0	1	47	0	1	0	0	0	1	3	3.45170	170.2	-48.8	10418.3	130	296	-11	38.7	1.6	$6.2 \cdot 10^{-13}$	6.0
4-080 10:04	0	1	141	3	6	0	8	8	8	0	0	0	0	1	0	0	0	1	3	3.41566	170.5	-49.6	10466.7	201	4	-18	28.0	1.6	$3.1 \cdot 10^{-15}$	6.0
4-083 03:03	0	1	144	1	13	0	15	15	15	1	0	42	31	1	0	0	0	1	3	3.40029	170.7	-49.9	10486.8	206	9	-17	11.8	11.8	$1.4 \cdot 10^{-13}$	5858.3
4-083 13:58	1	3	52	19	21	12	11	14	0	1	1	12	31	1	0	0	0	1	3	3.39819	170.7	-50.0	10489.5	82	244	8	2.8	1.6	$3.5 \cdot 10^{-10}$	6.0
4-083 23:02	3	1	89	5	9	12	7	7	7	0	1	0	0	1	0	0	0	1	3	3.39609	170.7	-50.0	10492.3	134	292	-11	43.7	1.6	$1.4 \cdot 10^{-15}$	6.0
4-085 18:43	0	1	26	6	11	0	8	7	7	0	0	0	0	1	0	0	0	1	3	3.38556	170.8	-50.2	10505.9	46	209	22	34.6	1.6	$6.2 \cdot 10^{-15}$	6.0
4-085 18:46	0	1	78	4	5	0	9	15	0	1	0	42	31	1	0	0	0	1	3	3.38556	170.8	-50.2	10505.9	119	278	-6	14.1	1.9	$3.8 \cdot 10^{-14}$	10.5
4-087 16:23	0	1	132	4	8	0	8	8	8	0	0	0	0	1	0	0	0	1	3	3.37499	170.9	-50.5	10519.4	201	358	-18	28.0	1.6	$5.2 \cdot 10^{-15}$	6.0
4-088 19:11	1	2	78	14	10	17	10	15	0	1	1	38	31	1	0	0	0	1	3	3.36863	171.0	-50.6	10527.5	125	281	-8	10.4	1.9	$10.0 \cdot 10^{-13}$	10.5
4-093 21:33	0	1	93	4	8	0	8	8	8	0	0	7																		

MP. DATE	C L N	AR	S E C	IA	EA	CA	IT	ET	E T	E L C	I L C	PA	P E T	E V D	I C P	E C P	C C P	P C P	HV	R	LON	LAT	D _{Jup}	ROT	S _{Lon}	S _{Lat}	V	VEF	M	MEF
4-107 16:25	0	1	74	3	1	0	8	15	0	1	0	14	31	1	0	0	0	1	3	3.26022	172.2	-53.0	10658.3	147	292	-16	21.4	1.9	$3.9 \cdot 10^{-15}$	10.5
4-111 12:06	0	1	234	2	6	0	9	9	10	0	0	0	0	1	0	0	0	1	3	3.23754	172.5	-53.5	10684.2	21	167	30	31.3	2.0	$1.9 \cdot 10^{-15}$	12.5
4-114 13:38	0	1	128	4	6	0	9	15	0	1	0	42	31	1	0	0	0	1	3	3.21989	172.7	-53.9	10703.9	233	17	-10	5.7	2.1	$5.5 \cdot 10^{-13}$	15.7
4-118 01:22	1	3	61	19	22	11	8	13	0	1	1	11	31	1	0	0	0	1	3	3.19918	173.0	-54.3	10726.6	144	284	-16	5.8	1.6	$4.1 \cdot 10^{-11}$	6.0
4-120 10:01	3	5	88	54	52	30	13	5	5	0	1	3	0	1	0	0	0	1	3	3.18506	173.2	-54.6	10741.9	185	326	-21	2.0	1.9	$4.2 \cdot 10^{-07}$	10.5
4-124 00:09	0	1	184	6	11	0	7	7	7	0	0	7	31	1	0	0	0	1	3	3.16341	173.5	-55.1	10765.0	324	98	27	43.7	1.6	$2.3 \cdot 10^{-15}$	6.0
4-134 19:59	3	3	126	20	25	1	7	6	6	0	1	46	0	1	0	0	0	1	3	3.09847	174.4	-56.6	10831.4	253	31	-3	22.7	1.6	$1.2 \cdot 10^{-12}$	6.0
4-136 02:05	0	1	9	6	4	0	9	15	0	1	0	17	30	1	0	0	0	1	3	3.09085	174.5	-56.8	10838.9	89	230	5	14.1	1.9	$4.5 \cdot 10^{-14}$	10.5
4-139 05:49	0	2	210	9	14	0	8	7	7	0	0	36	0	1	0	0	0	1	3	3.07173	174.8	-57.2	10857.6	13	154	34	34.6	1.6	$1.7 \cdot 10^{-14}$	6.0
4-144 14:15	0	2	18	13	21	0	7	6	6	0	0	40	0	1	0	0	0	1	3	3.03863	175.4	-58.0	10889.2	109	246	-4	34.1	1.9	$7.1 \cdot 10^{-14}$	10.5
4-145 10:38	1	2	8	9	5	8	10	15	0	1	1	43	31	1	0	0	0	1	3	3.03322	175.5	-58.1	10894.3	95	235	2	10.4	1.9	$1.8 \cdot 10^{-13}$	10.5
4-149 19:51	3	3	20	21	27	1	7	5	6	0	1	47	0	1	0	0	0	1	3	3.00603	176.0	-58.8	10919.4	116	253	-8	28.1	1.6	$9.7 \cdot 10^{-13}$	6.0
4-151 19:17	3	3	228	19	24	4	6	6	6	0	1	43	0	1	0	0	0	1	3	2.99355	176.2	-59.1	10930.7	50	195	24	28.0	1.6	$3.8 \cdot 10^{-13}$	6.0
4-155 19:42	0	1	243	3	7	0	9	8	8	0	0	0	0	1	0	0	0	1	3	2.96847	176.7	-59.7	10953.0	73	216	13	22.7	1.6	$7.8 \cdot 10^{-15}$	6.0
4-157 08:49	0	1	34	3	6	0	13	15	0	1	0	21	30	1	0	0	0	1	3	2.95902	176.8	-59.9	10961.3	140	275	-18	2.4	1.6	$8.8 \cdot 10^{-12}$	6.0
4-161 23:58	2	2	106	13	22	1	8	5	6	0	1	41	0	1	0	0	0	1	3	2.92977	177.4	-60.6	10986.4	245	26	-8	21.4	1.9	$4.2 \cdot 10^{-13}$	10.5
4-166 14:38	0	2	180	11	20	0	8	5	6	0	0	39	0	1	0	0	0	1	3	2.90032	178.1	-61.4	11011.1	352	129	37	21.4	1.9	$2.2 \cdot 10^{-13}$	10.5
4-169 13:31	0	1	217	3	6	0	11	15	15	1	0	6	30	1	0	0	0	1	3	2.88111	178.5	-61.8	11026.8	47	196	26	4.2	1.6	$1.2 \cdot 10^{-12}$	6.0
4-170 15:59	0	1	80	5	9	0	7	7	7	0	0	0	0	1	0	0	0	1	3	2.87389	178.7	-62.0	11032.6	215	359	-21	43.7	1.6	$1.4 \cdot 10^{-15}$	6.0
4-175 03:30	3	3	14	19	23	5	6	6	6	0	1	43	0	1	0	0	0	1	3	2.84488	179.4	-62.7	11055.6	126	267	-14	28.0	1.6	$3.3 \cdot 10^{-13}$	6.0
4-176 09:34	1	2	25	13	1	1	5	14	15	1	1	40	16	1	0	0	0	1	3	2.83679	179.6	-62.9	11061.9	142	283	-21	70.0	1.9	$2.1 \cdot 10^{-16}$	10.5
4-177 05:28	2	3	8	23	30	10	8	5	5	0	1	47	0	1	0	0	0	1	3	2.83193	179.7	-63.1	11065.7	119	261	-10	10.4	1.9	$5.8 \cdot 10^{-11}$	10.5
4-178 07:10	0	1	54	4	4	0	7	15	12	0	0	5	24	1	0	0	0	1	3	2.82463	179.9	-63.3	11071.3	184	328	-28	34.1	1.9	$1.4 \cdot 10^{-15}$	10.5
4-178 15:19	3	2	182	8	13	18	6	7	6	0	1	0	0	1	0	0	0	1	3	2.82219	179.9	-63.3	11073.1	4	149	39	49.4	1.6	$2.8 \cdot 10^{-15}$	6.0
4-179 11:06	0	1	118	4	8	0	7	8	8	0	0	4	24	1	0	0	0	1	3	2.81732	180.1	-63.4	11076.9	274	54	7	35.4	1.6	$2.4 \cdot 10^{-17}$	6.0
4-180 01:46	0	2	127	10	19	0	7	5	6	0	0	37	0	1	0	0	0	1	3	2.81325	180.2	-63.5	11080.0	287	65	14	34.1	1.9	$2.9 \cdot 10^{-14}$	10.5
4-181 11:02	0	1	71	1	4	0	15	9	11	0	0	0	0	1	0	0	0	1	3	2.80429	180.4	-63.8	11086.7	209	356	-24	11.8	11.8	$3.0 \cdot 10^{-14}$	5858.3
4-182 09:04	3	1	112	7	12	5	7	7	6	0	1	7	31	1	0	0	0	1	3	2.79776	180.6	-63.9	11091.6	267	49	3	43.7	1.6	$3.3 \cdot 10^{-15}$	6.0
4-183 06:06	0	1	29	3	6	0	14	15	0	1	0	43	31	1	0	0	0	1	3	2.79205	180.8	-64.1	11095.9	151	292	-24	2.1	1.6	$1.4 \cdot 10^{-11}$	6.0
4-184 14:18	0	1	250	2	5	0	15	9	10	0	0	0	0	1	0	0	0	1	3	2.78386	181.0	-64.3	11101.9	103	248	-2	31.3	2.0	$1.6 \cdot 10^{-15}$	12.5
4-184 15:06	1	1	207	6	5	7	11	15	0	1	1	44	30	1	0	0	0	1	3	2.78305	181.0	-64.3	11102.5	42	195	29	7.8	1.9	$2.4 \cdot 10^{-13}$	10.5
4-185 02:03	0	1	197	3	7	0	8	8	8	0	0	14	24	1	0	0	0	1	3	2.78059	181.1	-64.4	11104.3	28	180	34	28.0	1.6	$3.7 \cdot 10^{-15}$	6.0
4-188 17:00	1	2	221	11	10	8	11	15	15	1	1	20	31	1	0	0	0	1	3	2.75677	181.8	-65.0	11121.6	64	215	19	7.8	1.9	$1.3 \cdot 10^{-12}$	10.5
4-190 02:55	0	1	21	4	8	0	8	8	8	0	0	0	0	1	0	0	0	1	3	2.74771	182.1	-65.2	11128.1	144	287	-22	28.0	1.6	$5.2 \cdot 10^{-15}$	6.0
4-194 13:53	3	3	245	23	29	5	6	4	5	0	1	47	0	1	0	0	0	1	3	2.71793	183.0	-66.0	11149.0	102	253	-2	38.7	1.6	$6.2 \cdot 10^{-13}$	6.0
4-195 03:00	0	1	15	7	8	0	10	15	0	1	0	4	31	1	0	0	0	1	3	2.71378	183.2	-66.1	11151.8	139	285	-20	10.4	1.9	$2.3 \cdot 10^{-13}$	10.5
4-195 09:05	0	2	163	10	5	0	7	15	0	1	0	36	30	1	0	0	0	1	3	2.71212	183.2	-66.1	11153.0	347	134	39	34.1	1.9	$4.5 \cdot 10^{-15}$	10.5
4-195 13:34	1	2	233	10	8	10	9	15	15	1	1	0	0	1	0	0	0	1	3	2.71129	183.3	-66.2	11153.5	86	239	6	14.1	1.9	$1.8 \cdot 10^{-13}$	10.5
4-198 10:17	1	2	214	8	8	8	10	15	0	1	1	1	31	1	0	0	0	1	3	2.69216	183.9	-66.7	11166.5	60	217	21	10.4	1.9	$2.7 \cdot 10^{-13}$	10.5
4-199 10:06	0	1	192	5	9	0	9	8	8	0	0	0	0	1	0	0	0	1	3	2.68548	184.2	-66.8	11171.0	30	186	34	22.7	1.6	$1.5 \cdot 10^{-14}$	6.0
4-200 15:37	0	1	187	2	6	0	15	7	10	0	0	0	0	1	0	0	0	1	3	2.67713	184.5	-67.1	11176.6	25	183	36	56.0	2.0	$1.8 \cdot 10^{-16}$	12.5
4-201 23:45	0	1	3	4	4	0	10	15	0	1	0	47	31	1	0	0	0	1	3	2.66876	184.8	-67.3	11182.1	126	276	-14	10.4	1.9	$6.7 \cdot 10^{-14}$	10.5
4-204 06:15	3	3	250	21	27	7	7	5	6	0	1	46	0	1	0	0	0	1	3	2.65284	185.4	-67.7	11192.5	115	265	-8	28.1	1.6	$9.7 \cdot 10^{-13}$	6.0
4-207 17:11	1	2	216	10	5	8	10	15	0	1	1	44	31	1	0	0	0	1	3	2.63012	186.4	-68.3	11207.0	69	229	16	10.4	1.9	$2.2 \cdot 10^{-13}$	10.5
4-209 12:31	3	1	35	2	6	1	8	9	9	0	1	0	0	1	0	0	0	1	3	2.61747	186.9	-68.6	11214.9	175	328	-28	31.3	2.0	$1.9 \cdot 10^{-15}$	12.5
4-218 14:32	1	2	212	13	11	13	10	15	15	1	1	6	31	1	0	0	0	1	3	2.55634	189.9	-70.3	11251.9	69	235	16	10.4	1.9	$1.0 \cdot 10^{-12}$	10.5
4-222 13:18	0	1	73	3	7	0	9	8	10	0	0	0	0	1	0	0	0	1	3	2.52898	191.4	-71.0	11267.7	235	39	-13	22.7	1.6	$7.8 \cdot 10^{-15}$	6.0
4-223 15:28	0	1	3	5	9	0	7	7	6	0	0	3	31	1	0	0	0	1	3	2.52126	191.9	-71.2	11272.1	137	295	-19	43.7	1.6	$1.4 \cdot 10^{-15}$	6.0
4-224 04:15	0	1	64	7	12	0	8	7	7	0	0	35	0																	

MP. DATE	C L N	AR	S E C	IA	EA	CA	IT	ET	E T	E C	I C	PA	P E T	E V D	I C P	E C P	C C P	P C P	HV	R	LON	LAT	D _{Jup}	ROT	S _{LON}	S _{LAT}	V	VEF	M	MEF	
4-236 03:34	0	2	122	8	13	0	7	7	7	7	0	0	36	0	1	0	0	0	1	3	2.43497	198.0	-73.5	11318.8	310	111	25	43.7	1.6	$4.7 \cdot 10^{-15}$	6.0
4-236 08:32	0	1	227	4	2	0	12	10	0	1	0	4	23	1	0	0	0	1	3	2.43410	198.0	-73.5	11319.2	97	268	0	5.0	1.9	$4.6 \cdot 10^{-13}$	10.5	
4-237 14:05	0	1	168	2	6	0	9	9	10	0	0	4	25	1	0	0	0	1	3	2.42542	198.8	-73.8	11323.7	15	188	37	31.3	2.0	$1.9 \cdot 10^{-15}$	12.5	
4-241 02:58	0	1	174	4	8	0	7	8	8	0	0	0	0	1	0	0	0	1	3	2.40105	200.9	-74.4	11336.0	25	202	35	35.4	1.6	$2.4 \cdot 10^{-15}$	6.0	
4-241 08:38	3	1	72	5	9	4	7	7	7	0	1	0	0	1	0	0	0	1	3	2.39931	201.1	-74.4	11336.9	241	55	-10	43.7	1.6	$1.4 \cdot 10^{-15}$	6.0	
4-244 22:16	0	1	70	5	9	0	7	8	7	0	0	0	0	1	0	0	0	1	3	2.37400	203.6	-75.1	11349.3	240	56	-11	35.4	1.6	$3.5 \cdot 10^{-15}$	6.0	
4-246 12:01	1	2	242	15	7	21	10	11	15	1	1	39	17	1	0	0	0	1	3	2.36264	204.8	-75.4	11354.8	122	296	-11	10.4	1.9	$6.4 \cdot 10^{-13}$	10.5	
4-247 01:02	3	3	174	19	25	4	8	6	6	0	1	44	0	1	0	0	0	1	3	2.35914	205.2	-75.5	11356.5	26	209	34	19.5	1.6	$1.8 \cdot 10^{-12}$	6.0	
4-250 08:00	3	3	241	22	28	4	7	5	5	0	1	47	0	1	0	0	0	1	3	2.33636	207.9	-76.0	11367.2	121	299	-11	28.1	1.6	$1.4 \cdot 10^{-12}$	6.0	
4-255 02:26	0	1	172	2	9	0	9	15	0	1	0	45	31	1	0	0	0	1	3	2.30298	212.2	-76.8	11382.5	25	214	34	11.8	11.8	$8.8 \cdot 10^{-14}$	5858.3	
4-258 02:26	3	1	139	1	7	1	15	4	15	0	1	47	31	1	0	0	0	0	4	2.28186	215.3	-77.2	11391.9	339	160	35	70.0	2.0	$7.5 \cdot 10^{-17}$	12.5	
4-258 22:05	3	3	240	23	29	4	7	4	5	0	1	47	0	1	0	0	0	1	3	2.27569	216.2	-77.3	11394.6	122	306	-11	31.4	1.8	$1.3 \cdot 10^{-12}$	9.5	
4-261 16:34	0	1	9	6	10	0	7	7	7	0	0	0	0	1	0	0	0	1	3	2.25629	219.4	-77.7	11403.0	157	343	-24	43.7	1.6	$2.0 \cdot 10^{-15}$	6.0	
4-263 08:45	3	2	159	14	22	1	7	7	6	0	1	42	0	1	0	0	0	1	3	2.24482	221.3	-77.9	11407.9	8	200	37	34.1	1.9	$9.7 \cdot 10^{-14}$	10.5	
4-272 05:54	3	2	171	8	19	5	8	2	15	0	1	5	25	1	0	0	0	1	3	2.18206	233.6	-78.8	11433.5	25	229	33	21.4	1.9	$1.1 \cdot 10^{-13}$	10.5	
4-273 11:01	0	1	199	2	9	0	15	8	13	1	0	47	26	1	0	0	0	1	3	2.17321	235.5	-78.9	11437.0	64	270	17	11.8	11.8	$8.8 \cdot 10^{-14}$	5858.3	
4-273 20:07	1	3	216	19	12	13	8	15	15	1	1	38	30	1	0	0	0	1	3	2.17056	236.1	-78.9	11438.1	88	292	5	10.4	1.9	$2.1 \cdot 10^{-12}$	10.5	
4-275 22:23	3	6	228	56	56	30	14	14	5	0	1	31	0	1	0	0	0	1	3	2.15551	239.4	-79.0	11443.9	105	308	-2	2.0	1.9	$9.5 \cdot 10^{-07}$	10.5	
4-276 18:57	0	1	35	4	8	0	8	7	8	0	0	4	25	1	0	0	0	1	3	2.14932	240.9	-79.1	11446.3	194	39	-25	34.6	1.6	$2.7 \cdot 10^{-15}$	6.0	
4-278 06:01	0	2	227	11	11	0	9	15	15	1	0	58	30	1	0	0	0	1	3	2.13870	243.3	-79.1	11450.3	103	309	-2	14.1	1.9	$3.5 \cdot 10^{-13}$	10.5	
4-281 16:51	0	1	167	3	6	0	9	8	9	0	0	0	0	1	0	0	0	1	3	2.11480	249.0	-79.1	11459.2	18	231	35	22.7	1.6	$6.6 \cdot 10^{-15}$	6.0	
4-282 00:48	0	1	250	7	11	0	7	8	6	0	0	4	26	1	0	0	0	1	3	2.11214	249.7	-79.1	11460.2	135	342	-16	35.4	1.6	$6.9 \cdot 10^{-15}$	6.0	
4-282 10:11	0	1	176	6	10	0	8	8	7	0	0	0	0	1	0	0	0	1	3	2.10949	250.3	-79.1	11461.2	31	247	31	28.0	1.6	$1.0 \cdot 10^{-12}$	6.0	
4-282 10:47	3	3	187	23	29	12	8	5	6	0	1	47	0	1	0	0	0	1	3	2.10949	250.3	-79.1	11461.2	46	263	26	24.1	2.0	$3.2 \cdot 10^{-12}$	11.5	
4-286 10:57	0	2	234	9	19	0	7	6	7	0	0	38	0	1	0	0	0	1	3	2.08119	257.2	-79.0	11471.4	112	326	-6	34.1	1.9	$2.4 \cdot 10^{-14}$	10.5	
4-286 21:03	1	1	10	5	1	1	9	15	0	1	1	1	26	0	0	0	0	0	3	2.07765	258.1	-78.9	11472.7	157	9	-23	14.1	1.9	$2.5 \cdot 10^{-14}$	10.5	
4-287 02:51	3	3	142	20	26	4	7	6	5	0	1	46	0	1	0	0	0	1	3	2.07677	258.3	-78.9	11473.0	342	193	35	22.7	1.6	$1.5 \cdot 10^{-12}$	6.0	
4-289 09:58	3	4	235	27	49	23	7	6	5	0	1	47	0	1	0	0	0	1	3	2.05998	262.3	-78.8	11478.9	112	330	-6	14.1	1.9	$9.0 \cdot 10^{-11}$	10.5	
4-290 14:44	3	1	53	1	6	10	15	9	11	0	1	0	0	1	0	0	0	1	3	2.05204	264.2	-78.7	11481.7	216	78	-19	31.3	2.0	$1.5 \cdot 10^{-15}$	12.5	
4-291 21:18	0	1	188	3	6	0	8	8	9	0	0	0	0	1	0	0	0	1	3	2.04233	266.5	-78.5	11485.0	46	274	26	28.0	1.6	$3.1 \cdot 10^{-15}$	6.0	
4-293 23:11	0	1	10	6	10	0	7	7	7	0	0	0	0	1	0	0	0	1	3	2.02823	269.8	-78.3	11489.8	155	16	-23	43.7	1.6	$2.0 \cdot 10^{-15}$	6.0	
4-296 10:59	3	2	189	12	12	1	6	5	6	0	1	63	0	1	0	0	0	1	3	2.01062	273.7	-77.9	11495.8	46	279	26	43.5	1.9	$7.6 \cdot 10^{-15}$	10.5	
4-296 17:22	3	3	175	20	26	8	7	6	6	0	1	45	0	1	0	0	0	1	3	2.00886	274.1	-77.9	11496.3	26	258	33	22.7	1.6	$1.5 \cdot 10^{-12}$	6.0	
4-298 03:50	3	2	177	12	21	1	7	6	6	0	1	40	0	1	0	0	0	1	3	1.99832	276.3	-77.6	11499.8	28	263	33	34.1	1.9	$6.0 \cdot 10^{-14}$	10.5	
4-301 00:16	0	1	43	3	7	0	8	8	8	0	0	0	0	1	0	0	0	1	3	1.97814	280.5	-77.1	11506.4	199	74	-25	28.0	1.6	$3.7 \cdot 10^{-15}$	6.0	
4-301 11:16	0	1	123	4	7	0	8	9	7	0	0	0	0	1	0	0	0	1	3	1.97551	281.0	-77.0	11507.2	311	177	25	25.9	1.6	$5.7 \cdot 10^{-15}$	6.0	
4-301 19:56	2	3	185	21	26	14	9	7	6	0	1	46	0	1	0	0	0	1	3	1.97288	281.5	-77.0	11508.1	38	279	30	15.6	1.6	$7.8 \cdot 10^{-12}$	6.0	
4-303 15:55	3	2	9	13	21	2	7	6	6	0	1	40	0	1	0	0	0	1	3	1.95976	284.0	-76.6	11512.3	150	23	-22	34.1	1.9	$7.1 \cdot 10^{-14}$	10.5	
4-305 21:18	1	2	153	13	12	13	10	15	0	1	1	36	30	1	0	0	0	1	3	1.94404	286.9	-76.0	11517.2	352	229	38	10.4	1.9	$1.2 \cdot 10^{-12}$	10.5	
4-306 02:32	1	2	234	11	11	10	12	15	15	1	1	11	30	1	0	0	0	1	3	1.94317	287.1	-76.0	11517.5	106	345	-3	5.0	1.9	$6.4 \cdot 10^{-12}$	10.5	
4-306 08:20	0	1	120	2	2	0	15	15	15	1	0	0	0	1	0	0	0	1	3	1.94143	287.4	-75.9	11518.0	305	177	23	11.8	11.8	$2.8 \cdot 10^{-14}$	5858.3	
4-307 15:37	0	1	89	5	9	0	8	7	8	0	0	0	0	1	0	0	0	1	3	1.93185	289.0	-75.6	11521.0	261	141	0	34.6	1.6	$3.8 \cdot 10^{-15}$	6.0	
4-308 01:45	0	1	184	1	8	0	15	11	13	0	0	47	31	1	0	0	0	1	3	1.92924	289.5	-75.5	11521.8	35	283	32	11.8	11.8	$6.1 \cdot 10^{-14}$	5858.3	
4-310 04:04	1	2	106	8	8	1	9	15	15	1	1	1	30	1	0	0	0	1	3	1.91448	291.9	-75.0	11526.4	284	163	12	14.1	1.9	$1.3 \cdot 10^{-13}$	10.5	
4-310 04:06	0	1	242	7	12	0	8	7	6	0	0	5	26	1	0	0	0	1	3	1.91448	291.9	-75.0	11526.4	116	358	-9	34.6	1.6	$8.8 \cdot 10^{-15}$	6.0	
4-310 14:46	0	1	136	1	1	0	15	12	15	1	0	0	0	1	0	0	0	1	3	1.91187	292.3	-74.9	11527.2	326	204	33	11.8	11.8	$1.9 \cdot 10^{-14}$	5858.3	
4-310 21:03	0	1	119	5	10	0	8	7	9	0	0	0	0	1	0	0	0	1	3	1.90928	292.7	-74.8	11527.9	302	180	22	34.6	1.6	$4.5 \cdot 10^{-15}$	6.0	
4-311 12:10	0	1	1	6	11	0	7	7	7	0	0	0	0	1	0	0	0	1	3	1.90495	293.4	-74.6	11529.3	136	19	-18	43.7	1.6	$2.3 \cdot 10^{-15}$	6.0	
4-314 12:12	0	1	13	6	9	0	7	8	7	0																					

MP. DATE	C N	AR	S E C	IA	EA	CA	IT	ET	E T	E C	I C	PA	P E T	E V D	I C P	E C P	C C P	P C P	HV	R	LON	LAT	D _{Jup}	ROT	S _{LON}	S _{LAT}	V	VEF	M	MEF
4-325 16:09	3	4	173	24	30	9	8	4	5	0	1	47	0	1	0	0	0	1	3	1.80839	305.7	-70.0	11557.5	13	281	42	27.0	2.3	$3.0 \cdot 10^{-12}$	19.8
4-328 13:29	1	2	240	10	8	1	9	15	15	1	1	47	30	1	0	0	0	1	3	1.78910	307.7	-68.9	11562.9	107	13	-6	14.1	1.9	$1.8 \cdot 10^{-13}$	10.5
4-330 09:47	0	1	123	5	4	0	7	15	15	1	0	36	30	1	0	0	0	1	3	1.77661	308.9	-68.2	11566.4	302	201	24	34.1	1.9	$1.6 \cdot 10^{-15}$	10.5
4-332 21:54	3	3	187	21	27	11	6	5	6	0	1	46	0	1	0	0	0	1	3	1.76005	310.4	-67.2	11570.9	31	313	39	34.6	1.6	$5.0 \cdot 10^{-13}$	6.0
4-333 12:38	1	2	139	13	11	10	9	15	15	1	1	38	30	1	0	0	0	1	3	1.75593	310.7	-66.9	11572.1	324	225	37	14.1	1.9	$4.9 \cdot 10^{-13}$	10.5
4-334 02:01	0	1	167	5	4	0	7	15	15	1	0	36	30	1	0	0	0	1	3	1.75264	311.0	-66.7	11573.0	3	277	47	34.1	1.9	$1.6 \cdot 10^{-15}$	10.5
4-335 16:57	2	4	182	29	49	25	6	6	5	0	1	47	0	1	0	0	0	1	3	1.74199	311.9	-66.0	11575.9	23	307	43	21.4	1.9	$2.7 \cdot 10^{-11}$	10.5
4-338 00:39	3	2	166	14	23	1	7	6	6	0	1	42	0	1	0	0	0	1	3	1.72654	313.2	-65.0	11580.1	0	277	48	34.1	1.9	$1.1 \cdot 10^{-13}$	10.5
4-340 19:37	0	2	154	15	23	0	8	6	6	0	0	42	0	1	0	0	0	1	3	1.70881	314.5	-63.8	11585.0	343	254	47	21.4	1.9	$6.4 \cdot 10^{-13}$	10.5
4-341 04:20	1	3	218	19	9	10	7	15	15	1	1	40	30	1	0	0	0	1	3	1.70640	314.7	-63.6	11585.6	73	1	15	14.1	1.9	$6.2 \cdot 10^{-13}$	10.5
4-341 11:44	0	1	231	3	3	0	10	15	15	1	0	39	30	1	0	0	0	1	3	1.70481	314.8	-63.5	11586.0	91	14	3	10.4	1.9	$5.0 \cdot 10^{-14}$	10.5
4-341 12:14	3	3	217	20	26	13	6	6	5	0	1	45	0	1	0	0	0	1	3	1.70401	314.9	-63.4	11586.3	71	0	17	28.0	1.6	$7.0 \cdot 10^{-13}$	6.0
4-344 16:44	0	1	164	4	2	0	8	15	15	1	0	0	0	1	0	0	0	1	3	1.68416	316.3	-62.0	11591.6	356	278	51	21.4	1.9	$5.4 \cdot 10^{-15}$	10.5
4-345 17:15	0	1	42	3	7	0	7	8	8	0	0	0	0	1	0	0	0	1	3	1.67787	316.7	-61.5	11593.4	185	111	-40	35.4	1.6	$1.8 \cdot 10^{-15}$	6.0
4-351 23:53	0	1	183	7	12	0	7	7	7	0	0	6	31	1	0	0	0	1	3	1.63924	319.2	-58.5	11603.9	22	325	49	43.7	1.6	$3.3 \cdot 10^{-15}$	6.0
4-353 10:33	0	2	203	10	5	0	6	15	15	1	0	55	30	1	0	0	0	1	3	1.63016	319.8	-57.8	11606.3	50	357	33	43.5	1.9	$1.6 \cdot 10^{-15}$	10.5
4-353 17:53	1	6	138	58	52	31	5	5	4	1	1	28	0	1	0	0	0	1	3	1.62865	319.8	-57.6	11606.8	319	234	39	34.1	1.9	$7.0 \cdot 10^{-11}$	10.5
4-354 04:56	0	1	159	7	7	0	8	15	15	1	0	42	30	1	0	0	0	1	3	1.62565	320.0	-57.6	11607.6	348	272	54	21.4	1.9	$2.0 \cdot 10^{-14}$	10.5
4-356 08:47	2	4	131	28	49	10	6	5	5	0	1	47	0	1	0	0	0	1	3	1.61298	320.8	-56.3	11611.1	309	226	33	21.4	1.9	$2.3 \cdot 10^{-11}$	10.5
4-358 17:46	3	4	196	24	31	17	9	5	5	0	1	47	0	1	0	0	0	1	3	1.59902	321.6	-55.0	11615.0	40	355	41	7.8	1.9	$1.6 \cdot 10^{-10}$	10.5
4-361 00:02	0	2	157	9	14	0	7	7	7	0	0	37	0	1	0	0	0	1	3	1.58529	322.3	-53.7	11618.8	345	271	56	43.7	1.6	$6.4 \cdot 10^{-15}$	6.0
4-363 00:40	0	2	142	8	13	0	7	7	7	0	0	35	0	1	0	0	0	1	3	1.57390	322.9	-52.6	11622.1	324	243	45	43.7	1.6	$4.7 \cdot 10^{-15}$	6.0
5-004 03:58	1	2	141	13	11	12	10	9	15	1	1	36	3	1	0	0	0	1	3	1.54015	324.6	-49.2	11631.9	323	244	46	10.4	1.9	$1.0 \cdot 10^{-13}$	10.5
5-004 13:56	2	3	160	19	23	12	6	7	5	0	1	43	0	1	0	0	0	1	3	1.53814	324.7	-48.9	11632.5	350	282	61	25.9	1.6	$4.3 \cdot 10^{-13}$	6.0
5-007 05:04	0	1	203	2	10	0	9	15	15	1	0	47	31	1	0	0	0	1	3	1.52428	325.4	-47.4	11636.7	50	18	36	11.8	11.8	$1.1 \cdot 10^{-13}$	5858.3
5-009 11:27	3	4	171	25	31	24	6	5	5	0	1	47	0	1	0	0	0	1	3	1.51268	326.0	-46.0	11640.3	6	321	65	34.6	1.6	$1.7 \cdot 10^{-12}$	6.0
5-012 03:31	3	4	168	25	49	21	7	5	5	0	1	47	0	1	0	0	0	1	3	1.49887	326.7	-44.3	11644.8	1	313	67	14.1	1.9	$6.5 \cdot 10^{-11}$	10.5
5-014 12:22	2	4	174	24	30	22	7	5	5	0	1	47	0	1	0	0	0	1	3	1.48730	327.2	-42.9	11648.6	10	336	66	28.1	1.6	$2.6 \cdot 10^{-12}$	6.0
5-015 14:43	0	1	145	1	5	0	15	8	12	0	0	6	3	1	0	0	0	1	3	1.48252	327.4	-42.2	11650.2	329	253	54	36.7	2.0	$7.4 \cdot 10^{-16}$	12.5
5-016 15:32	0	1	107	2	7	0	10	9	13	1	0	47	26	1	0	0	0	1	3	1.47722	327.7	-41.5	11652.0	276	221	8	31.3	2.0	$2.3 \cdot 10^{-15}$	12.5
5-017 10:28	0	2	101	11	8	0	10	15	15	1	0	45	30	1	0	0	0	1	3	1.47373	327.9	-41.0	11653.2	268	218	0	10.4	1.9	$4.3 \cdot 10^{-13}$	10.5
5-017 11:03	0	1	154	3	6	0	8	7	9	0	0	0	0	1	0	0	0	1	3	1.47373	327.9	-41.0	11653.2	342	271	63	34.6	1.6	$1.6 \cdot 10^{-15}$	6.0
5-020 19:30	0	1	138	5	9	0	8	7	8	0	0	6	27	1	0	0	0	1	3	1.45847	328.6	-38.8	11658.8	320	245	47	34.6	1.6	$3.8 \cdot 10^{-15}$	6.0
5-022 17:59	3	6	199	57	49	31	11	5	5	0	1	28	0	1	0	0	0	1	3	1.45031	329.0	-37.6	11661.8	47	32	42	2.5	1.9	$1.4 \cdot 10^{-07}$	10.5
5-023 07:13	0	1	180	3	10	0	9	15	15	1	0	19	30	1	0	0	0	1	3	1.44764	329.1	-37.2	11662.9	20	7	64	14.1	1.9	$8.0 \cdot 10^{-14}$	10.5
5-024 09:03	0	1	148	1	10	0	15	15	0	1	0	47	31	1	0	0	0	1	3	1.44290	329.3	-36.4	11664.7	335	260	60	11.8	11.8	$8.6 \cdot 10^{-14}$	5858.3
5-025 08:51	0	1	132	4	2	0	8	15	15	1	0	0	0	1	0	0	0	1	3	1.43928	329.5	-35.8	11666.2	313	241	42	21.4	1.9	$5.4 \cdot 10^{-15}$	10.5
5-025 09:48	3	3	169	21	27	11	6	5	6	0	1	46	0	1	0	0	0	1	3	1.43877	329.5	-35.7	11666.4	5	335	72	34.6	1.6	$5.0 \cdot 10^{-13}$	6.0
5-026 05:38	0	1	152	6	2	0	8	15	15	1	0	36	30	1	0	0	0	1	3	1.43571	329.7	-35.2	11667.7	341	268	66	21.4	1.9	$7.5 \cdot 10^{-15}$	10.5
5-028 07:12	0	1	158	2	8	0	15	15	15	1	0	47	31	1	0	0	0	1	3	1.42727	330.1	-33.8	11671.2	350	287	72	2.3	2.0	$1.3 \cdot 10^{-11}$	12.5
5-029 04:29	0	1	126	3	1	0	8	15	15	1	0	9	27	1	0	0	0	1	3	1.42389	330.3	-33.2	11672.7	306	239	35	21.4	1.9	$3.9 \cdot 10^{-15}$	10.5
5-029 19:54	0	1	180	5	10	0	7	7	8	0	0	6	31	1	0	0	0	1	3	1.42152	330.4	-32.7	11673.8	22	19	64	43.7	1.6	$1.7 \cdot 10^{-15}$	6.0
5-030 02:28	0	1	140	1	10	0	15	15	15	1	0	47	31	1	0	0	0	1	3	1.42057	330.4	-32.6	11674.2	326	250	54	11.8	11.8	$8.6 \cdot 10^{-14}$	5858.3
5-030 12:48	0	1	160	1	6	0	15	8	11	0	0	0	0	1	0	0	0	1	3	1.41870	330.5	-32.2	11675.1	354	299	74	36.7	2.0	$8.9 \cdot 10^{-16}$	12.5
5-030 17:40	2	2	167	15	22	3	8	6	6	0	1	41	0	1	0	0	0	1	3	1.41823	330.6	-32.1	11675.3	4	337	75	21.4	1.9	$5.4 \cdot 10^{-13}$	10.5
5-037 06:21	0	1	245	4	12	0	8	15	15	1	0	47	31	1	0	0	0	1	3	1.39531	331.8	-27.4	11686.8	117	68	-23	21.4	1.9	$2.8 \cdot 10^{-14}$	10.5
5-038 21:39	0	1	60	1	2	0	15	15	15	1	0	11	30	1	0	0	0	1	3	1.39023	332.1	-26.2	11689.7	216	208	-48	11.8	11.8	$2.3 \cdot 10^{-14}$	5858.3
5-038 23:24	0	1	246	1	8	0	15	15	13	0	0	7	27	1	0	0	0	1	3	1.39023	332.1	-26.2	11689.7	118	69	-24	11.8	11.8	$6.1 \cdot 10^{-12}$	5858.3
5-040 23:50																														

MP. DATE	C N	AR	S E C	IA	EA	CA	IT	ET	E T	E C	I C	PA	P E T	E V D	I C P	E C P	C C P	P C P	HV	R	LON	LAT	D _{Jup}	ROT	S _{Lon}	S _{Lat}	V	VEF	M	MEF
5-055 14:55	0	1	164	4	10	0	6	7	0	1	0	47	31	1	0	0	0	1	3	1.35145	334.8	-13.7	11721.7	32	61	58	49.4	1.6	$8.6 \cdot 10^{-16}$	6.0
5-055 21:43	1	4	89	26	29	28	11	10	0	1	1	47	6	1	0	0	0	1	3	1.35087	334.9	-13.4	11722.4	286	242	16	5.4	1.8	$5.5 \cdot 10^{-10}$	8.5
5-056 05:27	0	1	158	4	10	0	6	15	0	1	0	47	31	1	0	0	0	1	3	1.35049	334.9	-13.2	11723.0	22	59	68	10.0	5.4	$2.1 \cdot 10^{-13}$	377.1
5-056 08:51	3	3	132	20	25	17	8	7	6	0	1	44	0	1	0	0	0	1	3	1.35030	334.9	-13.1	11723.2	345	256	75	18.0	1.6	$3.3 \cdot 10^{-12}$	6.0
5-056 22:25	3	2	170	14	21	2	9	3	8	0	1	25	0	1	0	0	0	1	3	1.34939	335.0	-12.6	11724.5	50	67	40	14.1	1.9	$1.9 \cdot 10^{-12}$	10.5
5-057 09:23	0	1	157	4	12	0	10	15	15	1	0	20	29	1	0	0	0	1	3	1.34868	335.1	-12.2	11725.6	32	64	58	10.4	1.9	$2.7 \cdot 10^{-13}$	10.5
5-057 20:24	0	2	130	8	2	0	7	15	0	1	0	47	30	1	0	0	0	1	3	1.34816	335.2	-11.9	11726.3	354	262	83	34.1	1.9	$2.1 \cdot 10^{-15}$	10.5
5-058 08:10	0	1	193	2	10	0	11	15	0	1	0	47	31	1	0	0	0	1	3	1.34750	335.2	-11.5	11727.4	82	70	8	11.8	11.8	$1.1 \cdot 10^{-13}$	5858.3
5-058 19:21	1	5	124	53	49	31	13	15	3	1	1	18	1	1	0	0	0	1	3	1.34686	335.3	-11.1	11728.5	355	259	85	2.0	1.9	$2.0 \cdot 10^{-07}$	10.5
5-060 06:24	0	1	15	7	8	0	13	7	11	1	0	47	23	1	0	0	0	1	3	1.34508	335.5	-10.0	11731.7	204	223	-62	2.5	1.9	$2.1 \cdot 10^{-11}$	10.5
5-060 21:52	1	4	106	26	27	9	14	0	6	0	1	31	0	1	0	0	0	1	3	1.34441	335.6	-9.5	11733.0	339	248	69	2.0	1.9	$1.3 \cdot 10^{-08}$	10.5
5-060 23:27	1	1	159	5	5	4	13	15	0	1	1	42	30	1	0	0	0	1	3	1.34441	335.6	-9.5	11733.0	54	71	36	2.5	1.9	$8.6 \cdot 10^{-12}$	10.5
5-061 09:39	0	1	135	3	14	0	6	15	0	1	0	47	31	1	0	0	0	1	3	1.34389	335.7	-9.1	11734.1	22	69	68	43.5	1.9	$2.4 \cdot 10^{-15}$	10.5
5-061 14:19	0	1	123	4	12	0	10	12	15	1	0	19	31	1	0	0	0	1	3	1.34377	335.7	-9.0	11734.4	5	67	85	10.4	1.9	$2.7 \cdot 10^{-13}$	10.5
5-061 16:53	3	3	135	22	20	8	13	1	10	0	1	25	0	1	0	0	0	1	3	1.34365	335.8	-8.9	11734.7	23	69	68	2.0	1.9	$2.3 \cdot 10^{-09}$	10.5
5-062 06:35	0	1	210	1	9	0	15	14	15	1	0	47	31	1	0	0	0	1	3	1.34306	335.9	-8.4	11736.0	131	79	-39	11.8	11.8	$7.3 \cdot 10^{-14}$	5858.3
5-063 05:53	3	1	230	5	21	1	12	8	15	0	1	19	0	1	0	0	0	1	3	1.34229	336.0	-7.7	11738.0	164	99	-71	5.0	1.9	$8.2 \cdot 10^{-12}$	10.5
5-063 18:36	1	4	32	24	22	13	12	9	0	1	1	1	21	1	0	0	0	1	3	1.34179	336.1	-7.2	11739.4	249	242	-19	2.0	1.9	$4.3 \cdot 10^{-09}$	10.5
5-064 12:39	0	1	82	5	19	0	13	9	13	1	0	24	27	1	0	0	0	1	3	1.34124	336.2	-6.6	11741.1	325	246	55	2.5	1.9	$5.5 \cdot 10^{-11}$	10.5
5-064 14:52	0	1	162	3	10	0	9	15	0	1	0	47	31	1	0	0	0	1	3	1.34124	336.2	-6.6	11741.1	77	73	13	14.1	1.9	$8.0 \cdot 10^{-14}$	10.5
5-066 16:34	0	2	133	10	8	0	13	15	15	1	0	47	30	1	0	0	0	1	3	1.33999	336.5	-4.9	11745.9	51	76	39	2.5	1.9	$3.4 \cdot 10^{-11}$	10.5
5-066 17:51	0	1	33	4	11	0	7	15	0	1	0	63	31	1	0	0	0	1	3	1.33999	336.5	-4.9	11745.9	270	246	0	34.1	1.9	$4.7 \cdot 10^{-15}$	10.5
5-067 03:53	0	1	27	2	7	0	15	6	11	1	0	47	22	1	0	0	0	1	3	1.33976	336.6	-4.5	11747.1	265	246	-4	70.0	2.0	$9.1 \cdot 10^{-17}$	12.5
5-067 17:04	0	1	162	3	11	0	10	15	0	1	0	47	31	1	0	0	0	1	3	1.33956	336.7	-4.2	11748.2	99	77	-7	10.4	1.9	$2.0 \cdot 10^{-13}$	10.5
5-068 07:38	1	3	72	20	20	21	13	3	0	1	1	63	9	1	0	0	0	1	3	1.33934	336.8	-3.7	11749.7	337	244	67	2.0	1.9	$1.7 \cdot 10^{-09}$	10.5
5-068 19:12	0	1	209	1	1	0	15	5	12	0	0	10	31	1	0	0	0	1	3	1.33919	336.9	-3.3	11750.9	166	97	-74	11.8	11.8	$1.9 \cdot 10^{-14}$	5858.3
5-068 20:04	0	1	129	4	11	0	9	15	15	1	0	59	30	1	0	0	0	1	3	1.33919	336.9	-3.3	11750.9	54	77	36	14.1	1.9	$1.1 \cdot 10^{-13}$	10.5
5-069 00:14	0	1	141	5	1	0	6	0	13	0	0	6	27	1	0	0	0	1	3	1.33912	336.9	-3.1	11751.5	72	77	18	43.5	1.9	$3.9 \cdot 10^{-16}$	10.5
5-069 18:34	0	1	254	3	8	0	0	2	13	0	0	6	31	1	0	0	0	1	3	1.33897	337.0	-2.5	11753.2	237	245	-32	70.0	2.0	$1.3 \cdot 10^{-16}$	12.5
5-070 13:16	0	1	66	1	3	0	15	4	12	0	0	3	27	1	0	0	0	1	3	1.33886	337.1	-1.9	11755.0	339	242	69	11.8	11.8	$2.6 \cdot 10^{-14}$	5858.3
5-070 23:35	3	4	24	27	17	10	9	15	15	0	1	10	0	1	0	0	0	1	3	1.33883	337.2	-1.6	11755.9	276	248	6	7.8	1.9	$2.8 \cdot 10^{-11}$	10.5
5-071 00:14	2	5	59	49	52	23	15	6	5	0	1	47	0	1	0	0	0	1	3	1.33883	337.2	-1.5	11756.2	326	245	56	36.7	2.0	$1.3 \cdot 10^{-11}$	12.5
5-071 14:58	3	3	70	19	23	25	11	10	8	0	1	41	0	1	0	0	0	1	3	1.33882	337.3	-1.1	11757.5	345	237	75	5.4	1.8	$5.8 \cdot 10^{-11}$	8.5
5-071 20:17	0	2	53	10	12	0	15	14	0	1	0	28	31	1	0	0	0	1	3	1.33882	337.3	-0.9	11758.1	323	246	53	2.5	1.6	$6.4 \cdot 10^{-11}$	6.0
5-071 23:49	3	5	68	54	52	26	13	6	5	0	1	47	0	1	0	0	0	1	3	1.33882	337.3	-0.8	11758.4	345	237	75	2.0	1.9	$4.2 \cdot 10^{-07}$	10.5
5-072 10:52	0	1	142	4	12	0	8	15	15	1	0	55	31	1	0	0	0	1	3	1.33885	337.4	-0.4	11759.6	93	78	-2	21.4	1.9	$2.8 \cdot 10^{-14}$	10.5
5-072 12:37	0	1	105	4	6	0	11	15	0	1	0	43	30	1	0	0	0	1	3	1.33887	337.4	-0.3	11759.9	42	80	48	4.2	1.6	$1.4 \cdot 10^{-12}$	6.0
5-072 17:53	0	1	142	3	12	0	10	15	0	1	0	47	31	1	0	0	0	1	3	1.33888	337.4	-0.2	11760.2	88	79	2	10.4	1.9	$2.3 \cdot 10^{-13}$	10.5
5-073 03:18	0	1	133	1	2	0	15	1	0	1	0	8	12	1	0	0	0	1	3	1.33895	337.5	0.2	11761.4	78	79	12	11.8	11.8	$2.3 \cdot 10^{-14}$	5858.3
5-075 00:55	0	1	81	1	14	0	15	13	0	1	0	18	30	1	0	0	0	1	3	1.33943	337.8	1.7	11766.1	10	107	78	11.8	11.8	$1.6 \cdot 10^{-13}$	5858.3
5-075 11:38	0	1	188	2	10	0	11	10	0	1	0	20	30	1	0	0	0	1	3	1.33957	337.9	2.0	11767.1	161	87	-70	11.8	11.8	$1.1 \cdot 10^{-13}$	5858.3
5-075 15:04	0	1	84	3	11	0	10	15	15	1	0	19	31	1	0	0	0	1	3	1.33967	337.9	2.2	11767.7	16	97	73	10.4	1.9	$2.0 \cdot 10^{-13}$	10.5
5-076 03:22	0	1	82	1	1	0	15	15	0	1	0	0	0	1	0	0	0	1	3	1.33988	338.0	2.6	11769.0	14	100	74	11.8	11.8	$1.9 \cdot 10^{-14}$	5858.3
5-076 16:29	2	3	34	19	22	11	7	8	6	0	1	41	0	1	0	0	0	1	3	1.34013	338.1	3.0	11770.3	308	248	38	19.3	1.6	$1.2 \cdot 10^{-12}$	6.0
5-076 18:34	0	1	179	5	10	0	8	7	7	0	0	0	0	1	0	0	0	1	3	1.34019	338.1	3.1	11770.6	152	83	-61	34.6	1.6	$4.5 \cdot 10^{-15}$	6.0
5-077 00:05	1	6	78	59	31	31	6	4	0	1	1	28	2	1	0	0	0	1	3	1.34032	338.1	3.3	11771.3	11	107	77	21.4	1.9	$1.7 \cdot 10^{-10}$	10.5
5-078 09:18	0	1	12	2	8	0	9	6	10	0	0	0	0	1	0	0	0	1	3	1.34117	338.3	4.3	11774.9	281	251	11	70.0	2.0	$1.1 \cdot 10^{-16}$	12.5
5-081 05:51	0	1	239	6	10	0	7	7	7	0	0	0	0	1	0	0	0	1	3	1.34342	338.7	6.5	11782.2	244	254	-25	43.7	1.6	$2.0 \cdot 10^{-13}$	6.0
5-082 19:04	0	1	195	2	11	0	15</																							

MP. DATE	C N	AR	S E C	IA	EA	CA	IT	ET	E T	E L C	I C	PA	P E T	E V D	I C P	E C P	C C P	P C P	HV	R	LON	LAT	D _{Jup}	ROT	S _{LON}	S _{LAT}	V	VEF	M	MEF
5-085 16:08	0	2	15	12	9	0	13	15	15	1	0	10	30	1	0	0	0	1	3	1.34870	339.4	10.0	11794.8	295	252	24	2.5	1.9	$5.6 \cdot 10^{-11}$	10.5
5-087 02:40	3	6	78	58	51	30	8	6	5	0	1	27	0	1	0	0	0	1	3	1.35071	339.6	11.1	11798.7	24	105	63	10.4	1.9	$3.1 \cdot 10^{-09}$	10.5
5-087 14:28	0	1	100	4	1	0	9	15	8	0	0	11	31	1	0	0	0	1	3	1.35148	339.7	11.5	11800.2	56	92	33	14.1	1.9	$2.1 \cdot 10^{-14}$	10.5
5-087 19:18	3	3	113	23	49	9	8	6	15	0	1	31	0	1	0	0	0	1	3	1.35188	339.8	11.7	11800.9	74	88	15	10.4	1.9	$10.0 \cdot 10^{-11}$	10.5
5-088 02:27	3	3	41	21	27	26	8	6	6	0	1	46	0	1	0	0	0	1	3	1.35228	339.8	11.9	11801.7	333	238	61	19.5	1.6	$4.0 \cdot 10^{-12}$	6.0
5-088 07:29	0	1	229	1	6	0	15	8	13	0	0	1	27	1	0	0	0	1	3	1.35269	339.8	12.1	11802.4	237	260	-32	36.7	2.0	$8.9 \cdot 10^{-16}$	12.5
5-089 03:14	2	5	76	52	51	19	14	7	5	0	1	26	0	1	0	0	0	1	3	1.35416	340.0	12.7	11805.0	23	110	64	2.0	1.9	$2.9 \cdot 10^{-07}$	10.5
5-089 08:17	0	1	128	4	11	0	8	15	0	1	0	47	31	1	0	0	0	1	3	1.35437	340.0	12.8	11805.4	96	86	-6	21.4	1.9	$2.4 \cdot 10^{-14}$	10.5
5-090 18:30	3	5	252	55	49	31	7	11	5	0	1	63	0	1	0	0	0	1	3	1.35709	340.2	14.0	11809.9	272	258	1	14.1	1.9	$5.6 \cdot 10^{-10}$	10.5
5-090 23:42	0	1	194	6	10	0	7	7	6	0	0	0	0	1	0	0	0	1	3	1.35732	340.2	14.1	11810.3	190	280	-78	43.7	1.6	$2.0 \cdot 10^{-15}$	6.0
5-091 17:32	0	1	46	4	10	0	9	15	15	1	0	46	30	1	0	0	0	1	3	1.35876	340.4	14.7	11812.6	342	226	68	5.7	2.1	$1.1 \cdot 10^{-12}$	15.7
5-091 18:43	0	1	239	3	8	0	8	7	8	0	0	0	0	1	0	0	0	1	3	1.35901	340.4	14.8	11813.0	254	261	-16	34.6	1.6	$2.3 \cdot 10^{-15}$	6.0
5-091 21:42	0	1	53	7	5	0	8	15	15	1	0	37	30	1	0	0	0	1	3	1.35926	340.4	14.9	11813.4	352	203	74	21.4	1.9	$1.4 \cdot 10^{-14}$	10.5
5-092 08:13	0	1	55	3	6	0	9	10	13	0	0	6	27	1	0	0	0	1	3	1.36001	340.5	15.1	11814.5	355	192	75	19.3	1.6	$1.3 \cdot 10^{-14}$	6.0
5-092 10:22	0	1	87	4	1	0	7	15	15	1	0	6	31	1	0	0	0	1	3	1.36026	340.5	15.2	11814.9	41	101	47	34.1	1.9	$8.9 \cdot 10^{-16}$	10.5
5-092 22:50	0	1	31	2	1	0	10	15	15	1	0	9	27	1	0	0	0	1	3	1.36129	340.6	15.6	11816.5	322	245	50	11.8	11.8	$2.4 \cdot 10^{-14}$	5858.3
5-092 22:59	2	1	232	6	10	4	7	7	6	0	1	7	27	1	0	0	0	1	3	1.36129	340.6	15.6	11816.5	245	263	-25	43.7	1.6	$2.0 \cdot 10^{-15}$	10.5
5-095 11:51	0	1	77	6	1	0	8	0	0	1	0	59	1	1	0	0	0	1	3	1.36676	341.0	17.5	11824.4	28	113	58	21.4	1.9	$6.3 \cdot 10^{-15}$	6.0
5-095 16:41	3	3	62	21	27	20	5	5	6	0	1	47	0	1	0	0	0	1	3	1.36734	341.0	17.7	11825.2	7	151	73	43.7	1.6	$1.9 \cdot 10^{-13}$	6.0
5-096 01:27	0	1	202	7	12	0	7	7	6	0	0	35	0	1	0	0	0	1	3	1.36821	341.1	18.0	11826.4	204	277	-64	43.7	1.6	$3.3 \cdot 10^{-15}$	6.0
5-096 20:22	0	1	150	1	9	0	15	15	15	1	0	47	31	1	0	0	0	1	3	1.37001	341.2	18.6	11828.9	131	83	-40	11.8	11.8	$7.3 \cdot 10^{-14}$	5858.3
5-097 21:17	0	1	12	3	3	0	8	15	15	1	0	5	31	1	0	0	0	1	3	1.37280	341.4	19.4	11832.6	298	255	26	21.4	1.9	$5.3 \cdot 10^{-15}$	10.5
5-099 06:06	0	1	9	3	7	0	9	8	10	0	0	0	0	1	0	0	0	1	3	1.37635	341.6	20.4	11837.2	294	257	22	22.7	1.6	$7.8 \cdot 10^{-15}$	6.0
5-099 06:23	3	3	210	18	49	3	11	15	15	0	1	31	1	1	0	0	0	1	3	1.37635	341.6	20.4	11837.2	217	276	-52	2.5	1.9	$3.2 \cdot 10^{-09}$	10.5
5-099 11:12	0	1	177	2	7	0	9	7	10	0	0	0	0	1	0	0	0	1	3	1.37668	341.6	20.5	11837.6	170	51	-77	56.0	2.0	$2.2 \cdot 10^{-16}$	12.5
5-099 18:48	0	1	227	3	6	0	8	15	15	1	0	7	30	1	0	0	0	1	3	1.37769	341.7	20.8	11838.9	241	269	-29	7.0	2.9	$2.4 \cdot 10^{-13}$	46.7
5-100 21:48	0	1	107	2	10	0	15	15	15	1	0	47	31	1	0	0	0	1	3	1.38077	341.9	21.7	11842.7	72	98	16	11.8	11.8	$1.1 \cdot 10^{-13}$	5858.3
5-101 09:22	1	6	61	60	49	31	4	3	15	1	1	31	3	1	0	0	0	1	3	1.38217	341.9	22.0	11844.4	8	155	70	11.8	11.8	$2.3 \cdot 10^{-09}$	5858.3
5-103 13:33	0	1	185	4	2	0	7	15	15	1	0	0	0	1	0	0	0	1	3	1.38838	342.3	23.6	11851.9	183	342	-79	34.1	1.9	$1.1 \cdot 10^{-15}$	10.5
5-107 02:46	1	2	68	9	3	3	9	13	15	1	1	0	0	1	0	0	0	1	3	1.39943	342.9	26.1	11864.6	19	138	61	14.1	1.9	$6.6 \cdot 10^{-14}$	10.5
5-108 04:50	0	1	82	4	10	0	10	15	15	1	0	47	31	1	0	0	0	1	3	1.40319	343.1	26.9	11868.8	39	118	45	4.9	1.7	$1.8 \cdot 10^{-12}$	7.7
5-108 13:16	0	1	191	1	6	0	15	7	12	0	0	3	31	1	0	0	0	1	3	1.40447	343.1	27.2	11870.2	193	315	-72	56.0	2.0	$1.5 \cdot 10^{-16}$	12.5
5-110 19:24	0	1	28	5	4	0	10	15	15	1	0	10	30	1	0	0	0	1	3	1.41236	343.5	28.8	11878.8	324	244	48	10.4	1.9	$7.9 \cdot 10^{-14}$	10.5
5-112 20:30	0	3	62	18	19	0	14	4	14	0	0	31	0	1	0	0	0	1	3	1.41970	343.9	30.2	11886.6	12	158	63	2.0	1.9	$7.2 \cdot 10^{-10}$	10.5
5-113 06:23	1	1	180	6	6	21	0	0	4	1	1	47	0	1	0	0	0	1	3	1.42158	344.0	30.6	11888.6	178	13	-74	11.8	11.8	$9.7 \cdot 10^{-14}$	5858.3
5-116 02:16	0	1	119	4	11	0	10	15	15	1	0	47	31	1	0	0	0	1	3	1.43227	344.5	32.5	11899.7	93	101	-4	10.4	1.9	$2.3 \cdot 10^{-13}$	10.5
5-116 11:46	0	1	89	1	14	0	15	12	15	1	0	63	30	1	0	0	0	1	3	1.43377	344.6	32.7	11901.2	51	119	34	11.8	11.8	$1.6 \cdot 10^{-13}$	5858.3
5-116 22:41	0	1	233	6	7	0	7	6	10	1	0	11	20	1	0	0	0	1	3	1.43578	344.7	33.1	11903.3	254	279	-16	34.1	1.9	$3.2 \cdot 10^{-15}$	10.5
5-119 14:50	3	1	235	1	6	5	15	7	10	0	1	0	0	1	0	0	0	1	3	1.44665	345.2	34.8	11914.4	257	280	-13	56.0	2.0	$1.5 \cdot 10^{-16}$	12.5
5-128 11:48	3	1	13	6	10	4	7	7	8	0	1	0	0	1	0	0	0	1	3	1.48678	347.0	40.6	11954.2	306	261	29	43.7	1.6	$2.0 \cdot 10^{-15}$	6.0
5-130 18:54	1	1	101	6	21	1	10	15	15	1	1	56	31	1	0	0	0	1	3	1.49834	347.5	42.1	11965.6	70	121	14	10.4	1.9	$1.1 \cdot 10^{-12}$	10.5
5-132 10:27	3	4	29	24	30	13	6	4	5	0	1	47	0	1	0	0	0	1	3	1.50644	347.8	43.1	11973.5	329	243	45	38.7	1.6	$8.4 \cdot 10^{-13}$	6.0
5-133 22:21	0	1	92	5	5	0	10	15	15	1	0	43	30	1	0	0	0	1	3	1.51404	348.2	44.0	11980.9	58	131	24	10.4	1.9	$9.3 \cdot 10^{-14}$	10.5
5-134 08:37	0	1	167	1	4	0	15	10	10	0	0	0	0	1	0	0	0	1	3	1.51596	348.3	44.3	11982.8	164	53	-59	11.8	11.8	$3.0 \cdot 10^{-14}$	5858.3
5-136 21:13	0	1	187	1	9	0	15	14	15	1	0	47	31	1	0	0	0	1	3	1.52961	348.9	45.8	11996.2	192	355	-59	11.8	11.8	$7.3 \cdot 10^{-14}$	5858.3
5-139 08:14	0	1	185	6	6	0	7	15	15	1	0	0	0	1	0	0	0	1	3	1.54226	349.5	47.2	12008.6	190	2	-59	34.1	1.9	$2.7 \cdot 10^{-15}$	10.5
5-139 11:09	0	1	43	4	6	0	9	10	9	0	0	0	0	1	0	0	0	1	3	1.54293	349.5	47.3	12009.2	350	218	50	19.3	1.6	$1.5 \cdot 10^{-14}$	6.0
5-141 03:32	0	1	140	7	12	0	8	7	7	0	0	7	26	1	0	0	0	1	3	1.55244	349.9	48.3	12018.6	127	95	-32	34.6	1.6	$8.8 \cdot 10^{-15}$	6.0
5-141 09:49	0	1	121																											

MP. DATE	C N	AR	S E C	IA	EA	CA	IT	ET	E T	E C	I C	PA	P E T	E V D	I C P	E C P	C C P	P C P	HV	R	LON	LAT	D _{Jup}	ROT	S _{LON}	S _{LAT}	V	VEF	M	MEF
5-164 03:19	3	2	195	11	19	7	7	7	6	0	1	38	0	1	0	0	0	1	3	1.68901	357.2	60.3	12156.7	209	3	-40	34.1	1.9	$3.3 \cdot 10^{-14}$	10.5
5-167 22:23	0	1	156	1	8	0	15	15	15	1	0	47	31	1	0	0	0	1	3	1.71293	358.7	62.0	12181.9	156	81	-41	11.8	11.8	$6.1 \cdot 10^{-14}$	5858.3
5-170 09:59	0	1	187	3	2	0	8	15	15	1	0	2	31	1	0	0	0	1	3	1.72908	359.8	63.2	12199.2	200	23	-41	21.4	1.9	$4.6 \cdot 10^{-15}$	10.5
5-181 01:05	0	1	2	6	11	0	7	7	7	0	0	0	0	1	0	0	0	1	3	1.79926	5.2	67.5	12276.4	303	302	15	43.7	1.6	$2.3 \cdot 10^{-15}$	6.0
5-181 21:10	0	1	115	3	6	0	9	8	9	0	0	0	0	1	0	0	0	1	3	1.80514	5.7	67.9	12283.0	103	146	-10	22.7	1.6	$6.6 \cdot 10^{-15}$	6.0
5-183 00:17	0	2	236	9	13	0	7	7	6	0	0	2	27	1	0	0	0	1	3	1.81271	6.4	68.3	12291.6	273	329	-1	43.7	1.6	$5.4 \cdot 10^{-15}$	6.0
5-184 13:36	3	1	127	7	12	17	7	8	6	0	1	2	26	1	0	0	0	1	3	1.82285	7.3	68.9	12303.2	121	133	-20	35.4	1.6	$8.1 \cdot 10^{-15}$	6.0
5-186 14:57	3	1	217	2	5	3	15	8	10	0	1	2	26	1	0	0	0	1	3	1.83642	8.6	69.6	12318.8	248	355	-15	36.7	2.0	$9.0 \cdot 10^{-16}$	12.5
5-192 23:17	3	2	115	10	14	9	7	7	6	0	1	36	0	1	0	0	0	1	3	1.88004	13.2	71.8	12369.9	107	155	-12	43.7	1.6	$7.5 \cdot 10^{-15}$	6.0
5-199 11:31	3	3	74	19	23	12	8	9	6	0	1	40	0	1	0	0	0	1	3	1.92501	18.8	73.8	12424.2	52	211	14	14.5	1.6	$3.8 \cdot 10^{-12}$	6.0
5-200 06:05	0	1	38	7	5	0	7	15	0	1	0	43	30	1	0	0	0	1	3	1.93109	19.7	74.0	12431.6	2	264	26	34.1	1.9	$2.7 \cdot 10^{-15}$	10.5
5-201 10:29	0	1	184	5	4	0	9	15	0	1	0	46	30	1	0	0	0	1	3	1.93893	20.8	74.3	12441.3	208	55	-30	14.1	1.9	$3.8 \cdot 10^{-14}$	10.5
5-201 11:50	0	1	152	3	8	0	9	8	10	0	0	7	31	1	0	0	0	1	3	1.93893	20.8	74.3	12441.3	163	109	-33	22.7	1.6	$9.4 \cdot 10^{-15}$	6.0
5-204 22:17	0	1	67	6	2	0	7	15	0	1	0	3	26	1	0	0	0	1	3	1.96337	24.4	75.3	12471.8	45	226	16	34.1	1.9	$1.5 \cdot 10^{-15}$	10.5
5-206 07:19	1	1	117	2	1	1	15	15	15	1	1	4	17	1	0	0	0	1	3	1.97300	25.9	75.6	12483.9	116	164	-16	11.8	11.8	$2.4 \cdot 10^{-14}$	5858.3
5-209 11:13	1	3	57	21	21	6	6	9	15	1	1	47	4	1	0	0	0	1	3	1.99492	29.6	76.3	12511.9	32	244	20	21.4	1.9	$1.0 \cdot 10^{-12}$	10.5
5-209 23:26	0	2	8	8	12	0	7	7	6	0	0	0	0	1	0	0	0	1	3	1.99843	30.2	76.4	12516.4	324	318	18	43.7	1.6	$4.0 \cdot 10^{-15}$	6.0
5-211 09:05	0	1	127	4	2	0	8	15	0	1	0	0	0	1	0	0	0	1	3	2.00898	32.1	76.7	12530.1	132	155	-22	21.4	1.9	$5.4 \cdot 10^{-15}$	10.5
5-213 04:07	0	2	133	12	11	0	10	15	0	1	0	8	30	1	0	0	0	1	3	2.02042	34.3	77.1	12544.9	141	148	-26	10.4	1.9	$8.6 \cdot 10^{-13}$	10.5
5-215 23:45	0	2	197	8	9	0	7	15	15	1	0	1	30	1	0	0	0	1	3	2.04069	38.2	77.6	12571.6	231	49	-21	34.1	1.9	$6.8 \cdot 10^{-15}$	10.5
5-216 00:51	0	1	10	1	2	0	15	12	15	1	0	0	0	1	0	0	0	1	3	2.04157	38.4	77.6	12572.8	329	320	19	11.8	11.8	$2.3 \cdot 10^{-14}$	5858.3
5-218 16:24	0	2	224	8	12	0	8	7	7	0	0	0	0	1	0	0	0	1	3	2.06010	42.2	78.0	12597.5	270	17	-3	34.6	1.6	$1.1 \cdot 10^{-14}$	6.0
5-218 19:50	3	2	98	15	22	9	8	7	6	0	1	41	0	1	0	0	0	1	3	2.06099	42.4	78.0	12598.7	93	200	-5	21.4	1.9	$5.4 \cdot 10^{-13}$	10.5
5-222 06:58	0	2	125	10	14	0	7	7	7	0	0	37	0	1	0	0	0	1	3	2.08573	47.7	78.5	12632.1	132	168	-22	43.7	1.6	$7.5 \cdot 10^{-15}$	6.0
5-223 04:56	0	1	108	4	9	0	7	7	8	0	0	0	0	1	0	0	0	1	3	2.09192	49.1	78.6	12640.6	108	191	-12	43.7	1.6	$1.2 \cdot 10^{-15}$	6.0
5-225 02:52	0	1	164	6	10	0	7	7	7	0	0	0	0	1	0	0	0	1	3	2.10519	52.1	78.7	12658.8	187	109	-32	43.7	1.6	$2.0 \cdot 10^{-15}$	6.0
5-226 07:22	0	1	38	4	9	0	8	7	8	0	0	0	0	1	0	0	0	1	3	2.11404	54.1	78.8	12671.1	10	287	23	34.6	1.6	$3.2 \cdot 10^{-15}$	6.0
5-227 00:57	0	1	128	1	7	0	15	7	11	1	0	63	24	1	0	0	0	1	3	2.11935	55.4	78.9	12678.4	137	168	-24	56.0	2.0	$1.8 \cdot 10^{-16}$	12.5
5-228 04:20	0	1	187	2	6	0	15	8	10	0	0	0	0	1	0	0	0	1	3	2.12731	57.2	79.0	12689.6	220	75	-25	36.7	2.0	$1.1 \cdot 10^{-15}$	12.5
5-230 09:52	0	1	111	2	6	0	15	8	10	0	0	0	0	1	0	0	0	1	3	2.14324	60.9	79.1	12712.0	114	194	-14	36.7	2.0	$1.1 \cdot 10^{-15}$	12.5
5-232 01:05	0	2	78	12	12	0	8	7	0	1	0	46	3	1	0	0	0	1	3	2.15475	63.6	79.1	12728.3	67	237	6	21.4	1.9	$1.1 \cdot 10^{-13}$	10.5
5-235 12:40	0	1	183	6	11	0	7	7	7	0	0	0	0	1	0	0	0	1	3	2.17953	69.3	79.1	12763.9	215	88	-27	43.7	1.6	$2.3 \cdot 10^{-15}$	6.0
5-238 09:48	0	1	109	2	6	0	15	8	10	0	0	0	0	1	0	0	0	1	3	2.19988	73.8	79.1	12793.5	111	205	-13	36.7	2.0	$1.1 \cdot 10^{-15}$	12.5
5-240 19:35	0	1	130	2	5	0	9	15	15	1	0	40	30	1	0	0	0	1	3	2.21668	77.5	79.0	12818.2	141	178	-26	2.3	2.0	$7.4 \cdot 10^{-12}$	12.5
5-241 10:59	0	1	119	1	5	0	15	8	8	0	0	38	2	1	0	0	0	1	3	2.22110	78.4	78.9	12824.8	125	194	-20	36.7	2.0	$7.4 \cdot 10^{-16}$	12.5
5-243 06:12	1	1	76	7	5	8	11	15	0	1	1	13	30	1	0	0	0	1	3	2.23435	81.2	78.8	12844.5	65	252	7	7.8	1.9	$2.9 \cdot 10^{-13}$	10.5
5-245 19:13	0	1	145	6	11	0	8	8	7	0	0	0	0	1	0	0	0	1	3	2.25201	84.7	78.6	12871.0	162	160	-31	28.0	1.6	$1.2 \cdot 10^{-14}$	6.0
5-246 22:43	1	5	141	55	49	31	14	6	0	1	1	27	2	1	0	0	0	1	3	2.25995	86.3	78.5	12883.1	156	169	-30	2.0	1.9	$2.7 \cdot 10^{-07}$	10.5
5-250 09:51	0	1	145	5	10	0	8	8	8	0	0	5	26	1	0	0	0	1	3	2.28462	90.8	78.2	12920.8	161	165	-31	28.0	1.6	$8.8 \cdot 10^{-15}$	6.0
5-255 12:36	2	3	127	19	23	14	8	9	7	0	1	40	0	1	0	0	0	1	3	2.32069	96.8	77.6	12977.0	135	198	-24	14.5	1.6	$3.8 \cdot 10^{-12}$	6.0
5-260 08:15	0	1	8	4	2	0	8	15	0	1	0	0	0	1	0	0	0	1	3	2.35401	101.7	76.9	13029.9	326	6	19	21.4	1.9	$5.4 \cdot 10^{-15}$	10.5
5-260 18:57	3	3	96	22	28	9	8	6	5	0	1	47	0	1	0	0	0	1	3	2.35751	102.1	76.9	13035.5	90	243	-3	19.5	1.6	$5.6 \cdot 10^{-12}$	6.0
5-262 23:29	1	3	69	23	21	15	8	14	15	1	1	46	31	1	0	0	0	1	3	2.37238	104.1	76.5	13059.5	51	280	13	10.4	1.9	$1.3 \cdot 10^{-11}$	10.5
5-262 23:37	0	1	123	5	10	0	8	7	8	0	0	0	0	1	0	0	0	1	3	2.37238	104.1	76.5	13059.5	127	212	-21	34.6	1.6	$4.5 \cdot 10^{-15}$	6.0
5-263 01:51	0	1	236	6	11	0	7	7	7	0	0	0	0	1	0	0	0	1	3	2.37325	104.2	76.5	13061.0	286	47	3	43.7	1.6	$2.3 \cdot 10^{-15}$	6.0
5-264 04:11	0	1	187	4	9	0	8	8	9	0	0	4	26	1	0	0	0	1	3	2.38112	105.2	76.4	13073.7	217	111	-27	28.0	1.6	$6.2 \cdot 10^{-15}$	6.0
5-266 19:06	3	2	160	15	22	11	7	6	6	0	1	42	0	1	0	0	0	1	3	2.39944	107.4	75.9	13103.7	178	156	-33	34.1	1.9	$1.1 \cdot 10^{-13}$	10.5
5-270 05:58	0	1	88	6	11	0	8	7	7	0	0	0	0	1	0	0	0	1	3	2.42293	110.0	75.4	13142.6	75	262	3	34.6	1.6	$6.2 \cdot 10^{-16}$	6.0
5-277 14:49	0	1	157	6	1	0	6	15	0	1	0	43	9	1	0	0	0	1	3	2.4										

MP. DATE	C L N	AR	S E C	IA	EA	CA	IT	ET	E I T	E I C	I I C	PA	P E T	E V D	I C P	E C P	C C P	P C P	HV	R	LON	LAT	D _{Jup}	ROT	S _{LON}	S _{LAT}	V	VEF	M	MEF
5-296 04:38	0	1	24	7	11	0	7	7	7	0	0	0	0	1	0	0	0	1	3	2.60152	123.7	70.9	13455.0	333	20	21	43.7	1.6	$2.9 \cdot 10^{-15}$	6.0
5-301 04:17	0	1	159	2	2	0	15	1	0	1	0	47	12	1	0	0	0	1	3	2.63531	125.5	70.1	13517.3	160	196	-31	11.8	11.8	$2.8 \cdot 10^{-14}$	5858.3
5-302 21:28	0	1	27	1	3	0	15	15	12	0	0	4	25	1	0	0	0	1	3	2.64709	126.1	69.8	13539.3	333	22	20	11.8	11.8	$2.6 \cdot 10^{-14}$	5858.3
5-304 07:23	0	1	177	3	11	0	9	6	14	0	0	43	1	1	0	0	0	1	3	2.65632	126.5	69.5	13556.7	183	169	-33	14.1	1.9	$9.5 \cdot 10^{-14}$	10.5
5-310 09:16	0	1	163	6	11	0	7	7	7	0	0	10	31	1	0	0	0	1	3	2.69728	128.3	68.5	13634.5	159	200	-30	43.7	1.6	$2.3 \cdot 10^{-15}$	6.0
5-313 18:47	0	1	240	4	8	0	8	8	8	0	0	0	0	1	0	0	0	1	3	2.71972	129.2	67.9	13677.8	265	89	-6	28.0	1.6	$5.2 \cdot 10^{-15}$	6.0
5-315 18:29	0	1	177	5	1	0	8	15	15	1	0	0	0	1	0	0	0	1	3	2.73297	129.8	67.6	13703.6	176	182	-32	21.4	1.9	$5.4 \cdot 10^{-15}$	10.5
5-317 08:05	0	1	125	5	3	0	11	15	0	1	0	44	30	1	0	0	0	1	3	2.74289	130.1	67.3	13723.0	101	260	-9	7.8	1.9	$1.5 \cdot 10^{-13}$	10.5
5-318 22:12	3	3	164	20	25	13	5	6	6	0	1	43	0	1	0	0	0	1	3	2.75361	130.5	67.0	13744.0	155	207	-29	35.4	1.6	$2.8 \cdot 10^{-13}$	6.0
5-322 00:37	0	2	218	9	19	0	7	5	6	0	0	37	0	1	0	0	0	1	3	2.77416	131.2	66.5	13784.7	229	125	-21	34.1	1.9	$2.4 \cdot 10^{-14}$	10.5
5-325 03:34	0	1	236	3	4	0	10	15	15	1	0	35	31	1	0	0	0	1	3	2.79463	131.9	66.0	13825.6	252	104	-12	10.4	1.9	$5.7 \cdot 10^{-14}$	10.5
5-325 04:08	0	2	121	8	13	0	7	7	7	0	0	36	0	1	0	0	0	1	3	2.79463	131.9	66.0	13825.6	90	272	-3	43.7	1.6	$4.7 \cdot 10^{-15}$	6.0
5-336 13:32	3	1	249	3	7	9	7	7	8	0	1	0	0	1	0	0	0	1	3	2.86840	134.1	64.2	13976.2	262	96	-7	43.7	1.6	$7.2 \cdot 10^{-16}$	6.0
5-342 11:21	0	1	21	6	8	0	11	15	0	1	0	19	31	1	0	0	0	1	3	2.90605	135.1	63.3	14055.0	295	66	6	4.2	1.6	$2.8 \cdot 10^{-12}$	6.0
5-347 05:06	0	1	139	5	3	0	10	15	0	1	0	40	31	1	0	0	0	1	3	2.93625	135.8	62.5	14119.1	98	266	-7	10.4	1.9	$6.9 \cdot 10^{-14}$	10.5
5-349 04:45	3	3	150	21	27	23	5	5	5	0	1	47	0	1	0	0	0	1	3	2.94891	136.1	62.2	14146.2	110	255	-11	43.7	1.6	$1.9 \cdot 10^{-13}$	6.0
5-353 13:46	0	1	219	7	14	0	7	6	9	0	0	29	0	1	0	0	0	1	3	2.97646	136.7	61.6	14205.8	202	155	-25	34.1	1.9	$1.3 \cdot 10^{-14}$	10.5
5-355 15:17	0	2	190	9	9	0	7	15	0	1	0	60	31	1	0	0	0	1	3	2.98978	137.0	61.2	14234.8	161	202	-25	34.1	1.9	$7.8 \cdot 10^{-15}$	10.5
5-362 01:08	0	1	179	5	4	0	9	15	0	1	0	44	30	1	0	0	0	1	3	3.02949	137.8	60.3	14322.3	137	225	-19	14.1	1.9	$3.8 \cdot 10^{-14}$	10.5




Figure 1: Three-dimensional view of Ulysses' interplanetary trajectory from launch until the end of 1996 in ecliptic coordinates. The Sun is in the center. The orbits of Earth and Jupiter indicate the ecliptic plane. The initial trajectory of Ulysses was in the ecliptic plane. During Jupiter flyby in early 1992 Ulysses was brought into an orbit with 79° inclination that sent the spacecraft close to the ecliptic poles. Crosses mark the spacecraft position at the beginning of each year. Vernal equinox is to the right (positive x axis).




Figure 2: Spacecraft attitude: deviation of the antenna pointing direction (i. e. negative spin axis) from the nominal Earth direction. The angles are given in ecliptic longitude (top) and latitude (bottom, equinox 1950.0).




Figure 3: Noise rate (class 0 events) detected with the dust instrument. Upper panel: Daily maxima in the noise rate (determined from the AC01 accumulator). The sounder was operated for only 2 % of the total time, and the daily maxima are dominated by sounder noise. Sharp spikes are caused by periodic noise tests and short periods of reconfiguration after DNELs (cf. Table 1). From 12 to 22 Jul 1994 and 24 Nov to 1 Dec 1994 the sounder was not operated which reduced the maximum noise by several orders of magnitude. Lower panel: Noise rate detected during quiet intervals when the sounder was switched off, which was the case about 98 % of the time (one-day average calculated from the number of AC01 events for which the complete information has been transmitted to Earth).




Figure 4: Distribution of the impact charge amplitude Q_I for all particles detected between 1993 and 1995. The solid line indicates the number of impacts per charge interval, and the dotted line shows the cumulative percentage. Vertical bars indicate the $\sqrt{n}$ statistical error.




Figure 5: Channeltron amplification factor $A = Q_C/Q_I$ as a function of impact charge Q_I for all particles detected between 1993 and 1995. The solid lines denote the sensitivity threshold (lower left) and the saturation limit (upper right) of the channeltron. Squares indicate dust particle impacts. The area of each square is proportional to the number of events included (the scaling of the squares differs from that used in Paper III). The dotted horizontal line shows the mean value of the channeltron amplification $A = 2.1$ for ion impact charges $10^{-12} \text{ C} < Q_I < 10^{-11} \text{ C}$.




Figure 6: Masses and impact velocities of all impacts recorded with the Ulysses sensor between 1993 and 1995. The lower and upper solid lines indicate the threshold and the saturation limit of the detector, respectively, and the vertical lines indicate the calibrated velocity range. A sample error bar is shown that indicates a factor of 2 uncertainty for the velocity and a factor of 10 for the mass determination.




Figure 7: Impact rate of dust particles detected with the Ulysses dust sensor as a function of time with the ecliptic latitude of the spacecraft indicated at the top. Upper panel: the upper solid line shows the total impact rate, the dotted line the impact rate of small particles (AR1) and the lower solid line the rate of big particles (AR4 to AR6). Note that a rate of about 1.8×10^{-7} impacts per second is caused by a single dust impact in the averaging interval of about 70 days. Lower panel: intermediate particles (AR2 and AR3, solid line). A model for the rate of interstellar particles assuming a constant flux is superimposed as a dashed line.




Figure 8: Rotation angle vs. time for all particles detected between 1993 and 1995 for which complete information is available. Plus signs indicate particles with impact charge $Q_I < 8 \times 10^{-14}$ C, squares those with $Q_I \geq 8 \times 10^{-14}$ C. The contour lines show the sensitive area of the dust sensor for particles approaching from the interstellar upstream direction (levels of 1, 300, 600 and 900 cm^2 detector area are shown). Most of the larger Q_I particles came from directions consistent with the interstellar upstream direction. The biggest particles in the highest amplitude ranges which are of interplanetary origin are not shown separately here because only very few of them were detected (cf. Table 2) and they cannot be separated from interstellar particles by directional arguments. Passage over the Sun's south polar region occurred in October 1994, ecliptic plane crossing in March 1995, and passage over the Sun's north polar region in August 1995.

